NAVY FEDERAL CREDIT UNION

CAMPUS EXPANSION TOWN OF VIENNA FAIRFAX COUNTY, VIRGINIA

CONSTRUCTION NOTES

- THE EXISTING UNDERGROUND UTILITIES SHOWN HEREON ARE BASED UPON AVAILABLE INFORMATION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING THE EXACT LOCATION OF ALL UTILITIES BEFORE COMMENCING WORK AND FOR ANY DAMAGES WHICH MAY OCCUR BY HIS FAILURE TO LOCATE OR PRESERVE THESE UNDERGROUND UTILITIES. IF DURING CONSTRUCTION OPERATIONS THE CONTRACTOR SHOULD ENCOUNTER UTILITIES OTHER THAN IN THOSE SHOWN ON THE PLANS, HE SHALL IMMEDIATELY NOTIFY THE ENGINEER AND TAKE NECESSARY AND PROPER STEPS TO PROTECT THE FACILITY AND ASSURE THE CONTINUANCE OF SERVICE.
- THE CONTRACTOR SHALL DIG TEST PITS AS REQUIRED FOLLOWING NOTIFICATION AND MARKING OF ALL EXISTING UTILITIES BY MISS UTILITY TO VERIFY THE LOCATION AND DEPTH OF EXISTING UTILITIES. TEST HOLES TO BE PERFORMED AT LEAST 15 DAYS PRIOR TO START OF CONSTRUCTION. ANY DISCREPANCIES ARE TO BE REPORTED IMMEDIATELY TO THE OWNER AND ENGINEER. REDESIGN AND APPROVAL BY REVIEWING AGENCIES SHALL BE OBTAINED IF REQUIRED.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING THE OWNER AND THE ENGINEER OF ANY CHANGES OR CONDITIONS ATTACHED TO PERMITS OBTAINED FROM ANY AUTHORITY ISSUING PERMITS.
- 4. THE CONTRACTOR SHALL VISIT THE SITE AND SHALL VERIFY EXISTING CONDITIONS PRIOR TO STARTING CONSTRUCTION.
- 5. THE CONTRACTOR SHALL CLEAR THE SITE OF ALL TREES, PAVEMENT, UTILITIES, FOUNDATIONS, ETC. WITHIN THE LIMITS OF CONSTRUCTION UNLESS OTHERWISE SPECIFIED, AND SHALL BE RESPONSIBLE FOR CAUSING EXISTING UTILITIES TO BE DISCONNECTED PRIOR TO DEMOLITION AND CLEARING.
- THE DEVELOPER SHALL PROVIDE OVER-LOT GRADING TO PROVIDE POSITIVE DRAINAGE AND PRECLUDE PONDING OF WATER THROUGHOUT
- FINISHED GRADES SHOWN FOR FINISHED TOP OF CURB GRADES ON EXISTING PARKING LOT AREAS SHALL BE FIELD ADJUSTED AS REQUIRED TO CONFORM TO THE INTENT OF THE TYPICAL SECTION USING THE EXISTING EDGE OF PAVEMENT AS THE CONTROL POINT. A SMOOTH GRADE SHALL BE MAINTAINED TO THE FACE OF CURB TO PRECLUDE THE FORMING OF FALSE GUTTERS AND/OR THE PONDING OF WATER ON THE PAVEMENT. THE EXISTING PAVEMENT SHALL BE RECAPPED AND/OR REMOVED AND REPLACED AS REQUIRED TO ACCOMPLISH THIS REQUIREMENT. CURB FORMS SHALL BE INSPECTED AND APPROVED FOR HORIZONTAL AND VERTICAL ALIGNMENT BY TOWN INSPECTORS PRIOR TO PLACING OF CONCRETE.
- ALL AREAS, ON OR OFF-SITE, WHICH ARE DISTURBED BY THIS CONSTRUCTION AND WHICH ARE NOT PAVED OR BUILT UPON. SHALL BE ADEQUATELY STABILIZED TO CONTROL EROSION AND SEDIMENTATION. THE MINIMUM ACCEPTABLE STABILIZATION SHALL CONSIST OF PERMANENT GRASS, SEED MIXTURE TO BE AS RECOMMENDED BY THE COUNTY AGENT. ALL SLOPES 3:1 AND GREATER SHALL BE SODDED AND PEGGED OR OTHERWISE STABILIZED IN A MANNER APPROVED BY THE TOWN OF VIENNA.
- 9. ALL OVER HEAD POLE LINES SHALL BE RELOCATED IF/AS REQUIRED BY THE OWNING UTILITY COMPANIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAKING ALL ARRANGEMENTS AND COORDINATING ALL WORK REQUIRED FOR THE NECESSARY RELOCATIONS.
- 10. PRIOR TO BEGINNING CONSTRUCTION, CONTRACTOR SHALL VERIFY FROM THE ARCHITECTURAL DRAWINGS ALL DIMENSION, DETAILS, AND TREATMENTS FOR THE PROPOSED BUILDINGS, WALKWAYS, AND OTHER PROPOSED CONSTRUCTION WHERE INDICATED ON THE PLANS.
- 11. THE CONTRACTOR IS TO VERIFY INVERT, SIZE AND LOCATION OF BUILDING UTILITY CONNECTIONS WITH THE MECHANICAL PLANS PRIOR TO PLACEMENT OF UNDERGROUND UTILITIES.
- 12. NO UNDERGROUND SOILS INVESTIGATION HAS BEEN PERFORMED BY WALTER L. PHILLIPS, INC. ALL SOILS INFORMATION PRESENTED AS PART OF THIS SITE PLAN IS TAKEN FROM FAIRFAX 2011 SOILS MAP.
- 13. ALL PROPOSED SIDEWALK, CURB, CURB AND GUTTER, AND SIMILAR ITEMS ARE TO BE CONSTRUCTED WITH A MINIMUM 4" AGGREGATE BASE
- 14. EXISTING CONSTRUCTION SHALL BE REMOVED TO NEAREST JOINT. NEW CONSTRUCTION SHALL BE PROVIDED AS SHOWN AND ANY DAMAGED AREA SHALL BE REPAIRED TO MATCH CONDITIONS EXISTING PRIOR TO CONSTRUCTION.
- 15. DAMAGE TO ANY EXISTING ENTRANCES, CURB AND GUTTER, PAVEMENT OR OTHER EXISTING STRUCTURES NOT PROPOSED TO BE DISTURBED WITH THIS DEVELOPMENT, WILL BE THE RESPONSIBILITY OF THE CONTRACTOR AND MUST BE REPAIRED TO THE SATISFACTION OF THE VIRGINIA DEPARTMENT OF TRANSPORTATION AND ANY ADJOINING OWNERS THAT MAY BE AFFECTED.
- 16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAKING A SMOOTH TRANSITION TO EXISTING CURB AND EXISTING PAVEMENT ELEVATIONS ADJUSTING FOR PROPOSED CAPPING. THE CONTRACTOR IS TO GRIND EXISTING PAVEMENT ADJACENT TO CURB PROPOSED TO REMAIN IN ORDER FOR PROPOSED CAPPING TO MEET EXISTING GUTTER OR BOTTOM OF CURB ELEVATIONS.
- 17. CONTACT MISS UTILITY AT 800-257-7777 48 HOURS BEFORE ANY DIGGING.

- 17. ALL PRIVATE BUILDING CONNECTIONS ARE TO BE INSTALLED IN ACCORDANCE WITH THE CURRENT PLUMBING CODE.
- 18. SEE ARCHITECTURAL AND/OR LANDSCAPE DRAWINGS FOR DIMENSIONS AND DETAILS FOR ALL RETAINING WALLS. ALL ON-SITE RETAINING WALLS ARE SUBJECT TO A SEPARATE BUILDING PERMIT TO BE OBTAINED BY OWNER. THIS PLAN IS FOR APPROXIMATE LOCATION AND PROPOSED GRADING ONLY. GEOTECHNICAL AND STRUCTURAL DESIGN TO BE ACCOMPLISHED BY OTHERS.
- 19. TOPS OF EXISTING STRUCTURES WHICH REMAIN IN USE ARE TO BE ADJUSTED IN ACCORDANCE WITH THE GRADING PLAN. ALL PROPOSED STRUCTURE TOP ELEVATIONS ARE TO BE VERIFIED BY THE CONTRACTOR WITH THE SITE GRADING PLANS. IN CASE OF CONFLICT THE GRADING PLAN SHALL SUPERSEDE PROFILE ELEVATIONS. MINOR ADJUSTMENTS TO MEET FINISHED GRADE ELEVATIONS MAY BE REQUIRED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ADJUSTMENT
- 20. THE DESIGN, CONSTRUCTION, FIELD PRACTICES AND METHODS SHALL CONFORM TO THE REQUIREMENTS SET FORTH BY THE GOVERNING AGENCY AND IT'S CURRENT ZONING ORDINANCE AND CONSTRUCTION STANDARDS MANUAL. FAILURE TO COMPLY WITH THE CODE, APPLICABLE MANUALS, PROVISIONS OF THE CONSTRUCTION AND ESCROW AGREEMENTS OR THE PERMITS SHALL BE DEEMED A VIOLATION.
- 21. THE APPROVAL OF THESE PLANS SHALL IN NO WAY RELIEVE THE OWNER/DEVELOPER OR HIS AGENT OF ANY LEGAL RESPONSIBILITIES WHICH MAY BE REQUIRED BY THE CODE OF VIRGINIA OR ANY ORDINANCE ENACTED BY THE GOVERNING AGENCY.
- 22. CONSTRUCTION STAKEOUT SHALL BE UNDER THE DIRECT SUPERVISION OF A LICENSED LAND SURVEYOR IN THE COMMONWEALTH OF
- 23. NO EVIDENCE OF GRAVES OR BURIAL SITES HAS BEEN FOUND ON THIS
- WATER MAIN CONSTRUCTION, INCLUDING INSTALLATION OF ALL WET TAPS, TEES, FIRE HYDRANTS, WATER METERS AND OTHER APPURTENANCES, TO
- COMPLY WITH TOWN OF VIENNA CONSTRUCTION SPECIFICATIONS AND CONSTRUCTION DETAILS - JANUARY 1997. IN ADDITION, THE UTILITY CROSSING IN MAPLE AVENUE E. TO COMPLY WITH THE WATER DISTRIBUTION SYSTEM SECTION I-13-HIGHWAY CROSSINGS; THE SELECTED METHOD OF CROSSING SPECIFICATION TO BE COORDINATED WITH TOWN OF VIENNA WATERLINE INSPECTOR PRIOR TO CONSTRUCTION.
- 25. ALL EXISTING OVERHEAD UTILITIES SERVING THE PROPERTY WILL BE REMOVED OR PLACED UNDERGROUND. EXISTING OVERHEAD UTILITIES IN ELECTRIC AVENUE AND ON ADJACENT PROPERTIES WILL REMAIN.
- 26. NO NEW CONNECTIONS TO THE WASHINGTON AND OLD DOMINION TRAIL ARE PROPOSED WITH THIS PLAN. NO LAND DISTURBANCE OR OTHER ACCESS TO NVRPA PROPERTY IS PROPOSED WITH THIS PLAN.

TOWN OF VIENNA - NOTES

- 1. NOTIFY THE TOWN OF VIENNA DEPARTMENT OF PUBLIC WORKS AT 703-255-6380 WHEN WORKS IS TO BE STARTED.
- 2. ALL CONTRACTOR GENERATED DEBRIS MUST BE HAULED AWAY BY THE CONTRACTOR OR OWNER.
- 3. ALL RUNOFF MUST SHEET FLOW ACROSS PROPERTY LINES UNLESS APPROVED OTHERWISE BY THE DIRECTOR OF PUBLIC WORKS.
- 4. ALL PRIVATE STORM DRAINS (I.E. ROOF DRAINS, SUMP PUMPS ETC.) MUST DAYLIGHT AT A MINIMUM OF 10 FEET FROM A PROPERTY LINE.
- 5. PRIOR TO THE REMOVAL OF ANY TOWN TREES (TREES WITHIN THE RIGHT OF WAY). THE APPLICANT OR THEIR REPRESENTATIVE SHALL CONTACT THE TOWN OF VIENNA ARBORIST AT 703-255-6360 TO COORDINATE HAVING THE TOWN ARBORIST ONSITE DURING ALL TOWN
- 6. TREE PROTECTION FOR ANY TOWN TREE, AS SHOWN ON PLAN, MUST BE INSTALLED PRIOR TO ANY SITE WORK.
- 7. THE OWNER IS RESPONSIBLE FOR ALL WORK AND COSTS ASSOCIATED WITH EXCAVATION, INSTALLATION, AND RESTORATION OF PUBLIC SPACE TO PERFORM A WATER/SEWER CONNECTION/ABANDONMENT. THE OWNER SHALL BE HELD RESPONSIBLE FOR ALL DAMAGES TO EXISTING STRUCTURES AND UTILITIES CAUSED BY CONSTRUCTION ACTIVITY.
- 8. A SET OF SIGNED & SEALED AND VIENNA STAMPED PLANS SHALL BE KEPT AT ALL TIMES AT THE JOB SITE ON WHICH ALL CHANGES OR VARIATIONS IN THE WORK, INCLUDING ALL EXISTING UTILITIES, ARE TO BE RECORDED AND/OR CORRECTED DAILY.
- 9. DEVELOPERS, CONTRACTORS AND/OR PLUMBERS MUST SUBMIT FINAL CONSTRUCTION AS-BUILT INFORMATION TO VIENNA FOR REVIEW AND APPROVAL, UPON COMPLETION OF INSTALLATION OF NEW SERVICES OR ABANDONMENT OF EXISTING SERVICES. WHEN THE FINAL AS-BUILT IS APPROVED ALL DEPOSITS WILL BE RETURNED TO THE APPLICANT.

SURVEY NOTES

- 1. THE PROPERTY SHOWN HEREON IS DESIGNATED BY FAIRFAX COUNTY, VIRGINIA, AS TAX ASSESSMENT MAP NUMBERS 0393-02-0003, 0393-02-0003A, 0393-02-0016A, AND 0393-02-0016B, ALL ZONED CMP.
- 2. THE PROPERTY IS NOW AS FOLLOWS: A) 0393-02-003 AND 0393-02-003A, IN THE NAME OF NAVY FEDERAL CREDIT UNION, AS RECORDED IN DEED BOOK 8293 AT
- B) 0393-02-0016A, PARCEL A, VIENNA TECHNOLOGY PARK ASSOCIATES, AS RECORDED IN DEED BOOK 5418 AT PAGE 1101, IN THE NAME OF NAVY FEDERAL CREDIT UNION, AS RECORDED IN DEED BOOK 23607 AT PAGE 971
- C) 0393-02-0016B, PARCEL B, VIENNA TECHNOLOGY PARK ASSOCIATES, AS RECORDED IN DEED BOOK 5418 AT PAGE 1101. IN THE NAME OF NAVY FEDERAL CREDIT UNION. AS RECORDED IN DEED BOOK 23607 AT PAGE 980 ALL AMONG THE LAND RECORDS OF FAIRFAX COUNTY, VIRGINA
- 3. THIS PLAT AND THE SURVEY UPON WHICH IT IS BASED SHOWS ONLY THOSE IMPROVEMENTS THAT ARE OBSERVABLE AND CAN BE LOCATED USING NORMAL SURVEY METHODS. THE UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM FIELD SURVEY INFORMATION, MISS UTILITY MARKINGS AND EXISTING RECORDS. THERE ARE NO GUARANTEES. EITHER EXPRESS OR IMPLIED. THAT THE UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA. EITHER IN SERVICE OR ABANDONED, OR THAT THE UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED. THE UNDERGROUND UTILITIES HAVE NOT BEEN PHYSICALLY LOCATED.
- 4. TOTAL COMPUTED AREA OF THE PROPERTY IS 469,047 SQUARE FEET OR 10.7683 ACRES. TOTAL RECORD AREA OF THE PROPERTY IS 469,370 SQUARE FEET OR 10.7753 ACRES.
- 5. THIS PLAT IS BASED ON A CURRENT FIELD SURVEY BY THIS FIRM.
- THE FEDERAL EMERGENCY MANAGEMENT AGENCY'S FLOOD INSURANCE RATE MAP FOR FAIRFAX COUNTY, VIRGINIA, MAP NUMBER 51059C0165E, EFFECTIVE DATE SEPTEMBER 17, 2010, DESIGNATES THE PROPERTY AS BEING IN ZONE X, AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN.
- 7. EASEMENTS, CONDITIONS, COVENANTS AND RESTRICTIONS, SHOWN AND/OR NOTED, TAKEN FROM THE TITLE COMMITMENTS PREPARED BY COMMONWEALTH LAND TITLE INSURANCE COMPANY, AS A) 0393-02-003 AND 0393-02-003A. COMMITMENT NUMBER
- 14-001166, EFFECTIVE DATE FEBRUARY 2/, 2014 B) 0393-02--0016A, COMMITMENT NUMBER 14-001069, EFFECTIVE DATE JANUARY 23, 2014 C) 0393-02--0016B, COMMITMENT NUMBER 14-001070,

EFFECTIVE DATE JANUARY 23, 2014

- 8. EASEMENTS SHOWN WITH AN "*" ARE APPROXIMATE BASED ON GRAPHIC REPRESENTATION IN THE RECORD DOCUMENT AND/OR FIELD EVIDENCE.
- 9. THE SITE SHOWN HEREON IS REFERENCED TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 AS COMPUTED FROM A FIELD RUN VERTICAL CONTROL SURVEY AND IS REFERENCED TO THE VIRGINIA COORDINATE SYSTEM OF 1983, [NAD 83(2011) (EPOCH: 2010.0000)] AS COMPUTED FROM A FIELD RUN BOUNDARY AND HORIZONTAL CONTROL SURVEY THAT TIES THIS SUBDIVISION BOUNDARY AND THE BENCHMARK(S) SHOWN TO NOAA/NGS MONUMENT PID NUMBER DH7960; LOYOLA B COOP CORS ARP. THE SCALE FACTOR (ELEVATION FACTOR X GRID FACTOR) WHICH HAS BEEN APPLIED TO THE FIELD DISTANCES TO DERIVE THE REFERENCED COORDINATES IS 0.99994487. THE FOOT DEFINITION USED FOR CONVERSION OF THE MONUMENT COORDINATES AND IN THE PERFORMANCE OF THIS SURVEY IS THE U.S. SURVEY FOOT. CONTOUR INTERVAL IS TWO FEET.
- 10. CONSOLIDATION OF EXISTING PARCELS 0393-02-003, 0393-02-016A AND 0393-02-016B IS PROPOSED AS PART OF THIS APPLICATION.


ZONING TABULATION

SITE AREA: ZONING: PROPOSED USE:	469,047 SF OR 10.77 ACRES CMP, INDUSTRIAL PARK PROFESSIONAL OFFICE	
ZONING REQUIREMENTS	REQUIRED	<u>PRO</u>


ZONING REQUIREMENTS	<u>required</u>	<u>PROVIDED</u>
MAXIMUM BUILDING HEIGHT	45 FEET	44.88 FEET
MINIMUM SETBACKS		
FRONT	50 FT	124.21 FT
SIDE	N/A	104.19 FT
REAR	N/A	107.26 FT
FROM RESIDENTIAL ZONE	100 FT	104.19 FT
LOT COVERAGE	25%	24.9% *
FRONTAGE	150 FT	981.97 FT

* REFER TO LOT COVERAGE DIAGRAM AND TABULATION, SHEET C-0201

VICINITY MAP



SOILS MAP



SCALE: | "=300

SOILS DATA

SOIL #'S	SERIES NAME	HYDROLOGIC SOIL GROUP	PROBLEM CLASS	FOUNDATION SUPPORT	SUBSURFACE DRAINAGE	ERODABILITY
93B	SUMERDUCK LOAM	С	11	MARGINAL	POOR	MEDIUM
95	URBAN LAND	N/A	IVB	N/A	N/A	N/A
105B	WHEATON- GLENELG COMPLEX	D	IVB	GOOD	GOOD	HIGH
107B	WHEATON- MEADOWVILLE COMPLEX	D	IVB	FAIR	MARGINAL	MEDIUM

STRUCTURAL ENGINEER TO DETERMINE LEVEL OF REQUIRED INVESTIGATION FOR BUILDING DESIGN PURPOSES.

FIRE FLOW INFORMATION

SEE SHEET C-1302, FIRE MARSHAL APPROVAL WILL BE OBTAINED PRIOR TO TOWN APPROVAL.

FILE # FIRE MARSHAL APPROVAL

PARKING TABULATION

PARKING REQUIRED:

= 234,391 SF PROFESSIONAL OFFICE: RATE: 1SP/200 SF

(BASED ON TOWN OF VIENNA CODE 18-130 C,H) 234,391 / 200 = 1,172 SPTOTAL PARKING REQUIRED = 1,172 SPACES

TOTAL PARKING PROVIDED = 1,184 SPACES H/C PARKING:

REQUIRED: 22 TOTAL SPACES INCL. 3 VAN PROPOSED: 22 TOTAL SPACES INCL. 6 VAN

SHEET	INDEX
C-0101	COVER SHEET
C-0201	NOTES
C-0201	TABULATIONS
C-0203	DETAILS
C-0204	DETAILS
C-0205	DETAILS
C-0206	DETAILS
C-0207	DETAILS
C-0301	EXISTING CONDITIONS AND DEMOLITION PLAN - OVERALL
C-0302	EXISTING CONDITIONS AND DEMOLITION PLAN
C-0303	EXISTING CONDITIONS AND DEMOLITION PLAN
C-0304	EXISTING CONDITIONS AND DEMOLITION PLAN
C-030 4 C-0401	GEOMETRIC PLAN - OVERALL
C-0402	GEOMETRIC PLAN
C-0403	GEOMETRIC PLAN
C-0404	GEOMETRIC PLAN
C-0405	LAYOUT PLAN - OVERALL
C-0406	LAYOUT PLAN
C-0407	LAYOUT PLAN
C-0408	LAYOUT PLAN
C-0409	PRELIMINARY SIGNALIZED INTERSECTION PLAN
C-0410	COLUMN LAYOUT DIAGRAM
C-0501	GRADING PLAN - OVERALL
C-0502	GRADING PLAN
C-0503	GRADING PLAN
C-0504	GRADING PLAN
C-0601	EROSION AND SEDIMENT CONTROL PLAN - PHASE 1 - OVERALL
C-0602	EROSION AND SEDIMENT CONTROL PLAN - PHASE 1
C-0603	EROSION AND SEDIMENT CONTROL PLAN - PHASE 1
C-0604	EROSION AND SEDIMENT CONTROL PLAN - PHASE 1
C-0605	EROSION AND SEDIMENT CONTROL PLAN - PHASE 2 - OVERALL
C-0606	EROSION AND SEDIMENT CONTROL PLAN - PHASE 2
	EROSION AND SEDIMENT CONTROL PLAN - PHASE 2 EROSION AND SEDIMENT CONTROL PLAN - PHASE 2
C-0607	
C-0608	EROSION AND SEDIMENT CONTROL PLAN - PHASE 2
C-0609	EROSION AND SEDIMENT CONTROL NOTES
C-0610	EROSION AND SEDIMENT CONTROL DETAILS
C-0611	SEDIMENT BASIN 1 CALCULATIONS AND DETAILS
C-0701	PRE AND POST DEVELOPMENT DRAINAGE DIVIDES
C-0702	STORMWATER MANAGEMENT PLAN
C-0703	STORMWATER MANAGEMENT COMPUTATIONS AND DETAILS
C-0704	STORMWATER MANAGEMENT COMPUTATIONS AND DETAILS
C-0705	STORMWATER MANAGEMENT COMPUTATIONS
C-0706	STORMWATER MANAGEMENT COMPUTATIONS STORMWATER MANAGEMENT COMPUTATIONS
C-0707	STORMWATER MANAGEMENT COMPUTATIONS
C-0708	STORMWATER MANAGEMENT COMPUTATIONS
C-0709	STORMWATER MANAGMENT COMPUTATIONS AND DETAILS
C-0710	STORMWATER MANAGMENT COMPUTATIONS AND DETAILS
C-0711	STORMWATER MANAGEMENT MAINTENANCE RECOMMENDATIONS
C-0712	STORMWATER MANAGMENT MAINTENANCE AGREEMENT
C-0801	STORM SEWER PROFILES
C-0802	STORM SEWER PROFILES
C-0803	- · · · · · · · · · · · · · · · · · · ·
	STORM SEWER PROFILES AND COMPUTATIONS
C-0901	SANITARY SEWER PLAN AND PROFILE
C-1001	WATER LINE PROFILES
C-1002	WATER LINE PROFILES
C-1101	SIGHT DISTANCE PLAN AND PROFILE - ENTRANCE 1
C-1102	SIGHT DISTANCE PLAN AND PROFILE - ENTRANCE 2
C-1103	SIGHT DISTANCE PLAN AND PROFILE - ENTRANCE 3
C-1104	VEHICLE MOVEMENT PLAN
C-1105	VEHICLE MOVEMENT PLAN
C-1103 C-1201	TREE PRESERVATION PLAN - OVERALL
C-1202	TREE PRESERVATION PLAN
C-1203	TREE PRESERVATION PLAN
C-1204	TREE PRESERVATION PLAN
C-1205	TREE PRESERVATION AND LANDSCAPE PLAN NOTES AND DETAILS
C-1206	LANDSCAPE PLAN - OVERALL
C-1207	LANDSCAPE PLAN
C-1208	LANDSCAPE PLAN
C-1209	LANDSCAPE PLAN
C-1209 C-1301	FIRE MARSHAL PLAN - OVERALL
C-1302	FIRE MARSHAL PLAN
C-1303	FIRE MARSHAL PLAN
C-1304	FIRE MARSHAL PLAN
C-1305	FIRE TRUCK MOVEMENT PLAN
C-1401	GEOTECHNICAL RECOMMENDATIONS
C-1402	GEOTECHNICAL RECOMMENDATIONS
C-1403	SITE LIGHTING POLE LOCATION
C-1404	PHOTOMETRIC PLAN
C-1405	SITE LIGHTING DETAILS
C-1501	CORRESPONDENCE
A-101	RENDERING

WAIVERS/ MODIFICATIONS REQUESTED

RENDERING

RENDERING

SITE ELEVATIONS

SITE SECTIONS

FLOOR PLANS

FLOOR PLANS

A-101

A-102

A-103

A-104

A-105

A-106

WAIVER OF Z.O. SECTION 18-102 TO PERMIT LOADING WITHIN 300 FEET OF A RESIDENTIAL ZONE. MODIFICATION OF Z.O. SECTION 18-128 TO PERMIT 9'X18' PARKING SPACES IN PROPOSED GARAGE. SEE SHT. C-0201 FOR

ARCHITECTURAL SHEETS

PROVIDED FOR

INFORMATION ONLY

3. WAIVER OF Z.O. SECTION 18-134(A) TO PERMIT ENTRANCES GREATER THAN 25 FEET IN WIDTH AT THE PROPERTY LINE NOTE:

SEE SHEET C-0202 FOR JUSTIFICATION NARRATIVE.

ž2

05 05

Ш

S

<u>O</u>

MPU

<

<u>S</u>

RE

