
# Section 18-217 Residential - Single-Unit, 16,000 sq. ft. Zone (RS-16)

# 1. RS-16 Purpose

The purpose of this zone is to provide standards for singleunit, detached residences with a minimum lot area of 16,000 square feet.



## 2. RS-16 Dimensional Standards

Principal Structure Count: 1 per lot max.

BUIL	BUILDABLE LOT DIMENSIONS										
	Lot Area <del>Per Dwelling Unit</del>	16,000 sq. ft. min.									
FW	Lot Width at Front Lot Line	50 ft. min.									
BW	Lot Width at Front Building Line	65 ft. min.									
MW	Lot Width at Midline	90 ft. min.									

MW Lot Widt	n at Midline	90 ft. min.
RESIDENTIAL	COVERAGE	
Lot coverage	25% max.	
Outdoor living coverage	5% max. covered by de Up to 400 sq. ft. of dec covered, with condition §18-213	ks may be

BUII	LDING STANDARDS		
Н	<b>Building Height</b>	35 ft. max.	
	Number of Stories	2.5 max.	

FY	Front Yard Setback	35 ft. min. from front property line, including after any required dedication
ISY	Interior Side	15 ft. min.
	Yard Setback	Non-Residential Principal Structures: 30 ft. min.
CSY	Corner Side Yard Setback	25 ft. min.
RY	Rear Yard	35 ft. min.
	Setback	

#### **Reference to Other Standards**

- » Uses and Use Standards-; Accessory Living **Units**: See Article 3;
- » Accessory structure setbacks: See Article 4A
- » Development Standards Single-Unit Detached Residential Uses: See Article 4A;
- » Development Standards Public, Institutional, and Community Uses - See Article 5B

Zoning and Subdivision Ordinance

# Section 18-218 Residential - Single-Unit, 12,500 sq. ft. Zone (RS-12.5)

# 1. RS-12.5 Purpose

The purpose of this zone is to provide standards for single-unit, detached residences with a minimum lot area of 12,500 square feet.

RY

RY

CSY

CSY

CNDESTREET

### 2. RS-12.5 Dimensional Standards

Principal Structure Count: 1 per lot max.

BUILDABLE LOT DIMENSIONS	
Lot Area Per Dwelling Unit	12,500 sq. ft. min.
FW Lot Width at Front Lot Line	50 ft. min.
BW Lot Width at Front Building Line	65 ft. min.
MW Lot Width at Midline	80 ft. min.

RESIDENTIAL COVERAGE								
Lot coverage	25% max.							
Outdoor	5% max. covered by decks							
living coverage	Up to 400 sq. ft. of decks may be covered, with conditions outlined in §18-213							

ı	BUILDING STANDARDS						
	Н	<b>Building Height</b>	35 ft. max.				
		Number of Stories	2.5 max.				

# **BUILDING PLACEMENT STANDARDS**

FY	Front Yard Setback	30 ft. min. from front property line, incl. after any required dedication					
ISY	Interior Side	15 ft. min.					
	Yard Setback	Non-Residential Principal Structures: 30 ft. min.					
CSY	Corner Side Yard Setback	25 ft. min.					
RY	Rear Yard Setback	35 ft. min.					

#### Reference to Other Standards


- » Uses and Use Standards; <u>Accessory Living</u> <u>Units</u>: See Article 3;
- » Accessory structure setbacks: See Article 4A
- » Development Standards Single-Unit Detached Residential Uses: See Article 4A;
- » Development Standards Public, Institutional, and Community Uses - See Article 5B

**EFFECTIVE 01 JANUARY 2024** 

Zoning and Subdivision Ordinance

# Section 18-219 Residential - Single-Unit, 10,000 sq. ft. Zone (RS-10)

# 1. RS-10 Purpose



Principal Structure Count: 1 per lot max.										
BUILD	DABLE	LOT DIMENSIO	NS							
	Lot A	rea <del>Per Dwelling</del>	<del>Unit</del> 10,000 sq. ft min.							
FW	Lot W	idth at Front Lot	Line 45 ft. min.							
BW	Lot W	idth at Front Bui	lding Line	60 ft. min.						
MW	Lot W	idth at Midline		75 ft. min.						
RESID	ENTI	AL COVERAGE								
Lot cover	age	25% max.								
Outdo	or	5% max. covere	ed by decks							
living coverage Up to 400 sq. ft. of decks may be covered, with conditions outlined in §18-213										
BUILDING STANDARDS										
Н	Buil	ding Height	35 ft. max							
	Nur	2.5 max.								

BUILDING PLACEMENT STANDARDS							
FY	Front Yard Setback	25 ft. min. from front property line, incl. after any required dedication					
ISY	Interior Side Yard Setback	12 ft. min. Non-Residential Principal Structures: 30 ft. min.					
CSY	Corner Side Yard Setback	25 ft. min.					
RY	Rear Yard Setback	35 ft. min.					

#### **Reference to Other Standards**

- » Uses and Use Standards; Accessory Living **Units**: See Article 3;
- » Accessory structure setbacks: See Article 4A
- » Development Standards Single-Unit Detached Residential Uses: See Article 4A;
- » Development Standards Public, Institutional, and Community Uses - See Article 5B

Zoning and Subdivision Ordinance

# Section 18-305 Accessory Uses Table

DISTRIC								TRICTS AND ZONES								00501510
USE TYPES	ı	RESIDI	ENTIA	L												SPECIFIC USE STAN-
	RS- 16	RS - 12.5	RS- 10	RMU	AW	AE	AC / AC-0	М	CS/ CS-0	NM	Т	GS	СР	PR	РС	DARDS
P = PERMITTED / C	= CO1	NDITIC	NAL /	- = N(	OT PE	RMIT	TTED (	See A	Article 2	2 for Z	Zone	and D	istric	t Nar	nes)	
Accessory Living Unit - Attached	P/C	<u>P/C</u>	<u>P /C</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	§18-306.5
Cafeteria	-	-	-	-	-	-	-	-	-	-	-	-	Р	-	-	
Catering	-	-	-	-	Р	Р	Р	-	Р	-	-	Р	-	-	-	§18-313
Community Garden	Р	Р	Р	Р	-	-	-	-	-	-	-	-	Р	Р	-	
Curbside Pick-up	-	-	-	-	Р	Р	Р	Р	Р	-	-	Р	-	-	-	§18-321
Dancing and Live Entertainment	-	-	-	-	С	С	С	-	С	-	-	С	-	-	-	§18-322
Drive-through Facilities	-	-	-	-	С	С	-	-	-	-	-	С	-	-	-	§18-323
Family Day Home, 1-4 Children	Р	Р	Р	Р	-	-	-	-	-	-	-	-	-	-	-	§18-324
Family Day Home, 5-12 Children	С	С	С	С	-	-	-	-	-	-	-	-	-	-	-	§18-324
Home-Based Business	Р	Р	Р	Р	Р	Р	Р	-	Р	Р	-	Р	-	-	-	§18-327
Keeping of Companion Animals	Р	Р	Р	Р	Р	Р	Р	-	Р	Р	-	Р	-	-	-	§18-328
Keeping of Fowl or Poultry	Р	Р	Р	-	-	-	-	-	-	-	-	-	_	-	-	§18-329
Keeping of Honeybees	Р	Р	Р	-	-	-	-	-	-	-	-	-	-	-	-	§18-330
Massage Therapy	С	С	С	С	Р	Р	Р	Р	Р	Р	Р	Р	-	-	_	§18-331
Outdoor Dining, Seasonal	-	-	-	-	Р	Р	Р	Р	Р	-	-	Р	_	-	-	§18-335
Outdoor Dining, Permanent, 1-12 seats	-	-	-	-	Р	Р	Р	Р	Р	-	-	Р	-	-	-	§18-335
Outdoor Dining, Permanent, 13 or more seats	-	-	-	-	С	С	С	С	С	-	-	С	-	-	-	§18-335
Outdoor Display and Sales	-	-	-	-	Р	Р	Р	Р	Р	-	-	Р	-	-	-	§18-336
Outdoor Storage	-	-	-	-	С	С	-	-	С		-					§18-337

Zoning and Subdivision Ordinance

## **DIVISION 3. USE STANDARDS**

The following uses are specifically regulated as set forth herein.

## Section 18-306.5 Accessory Living Units (ALUs) - Attached

- 1. No more than one (1) ALU may be established on any lot.
- 2. The property owner must reside in either the principal residence or the accessory living unit.
- 3. The maximum size of an ALU is 800 square feet or 40% of the floor area of the principal residence, whichever provides a lesser amount of floor area. An amount greater than 800 square feet may be approved by the Board of Zoning Appeals as a conditional use, in accordance with Section 18-824; but under no circumstance may the ALU cover more than 1,000 square feet or 40% of the floor area, whichever provides a lesser amount of floor area.
- 4. No ALU shall contain more than two bedrooms.
- 5. An ALU must have areas for living, sleeping, eating, preparing food, and sanitation (i.e., bathroom). Such areas may be established as distinct from those of the principal residence. 2
- 6. An ALU may be located only within or sharing at least one wall with the principal structure, including a second story above an attached garage, and is subject to all development standards. A floor plan showing the location and dimensions of the proposed ALU in relation to the principal structure must be submitted prior to occupancy.
- 7. Any new external entrance proposed for an ALU must be located on the side or rear of the dwelling. 3
- 8. Any ALU must meet the applicable regulations for zoning, building, safety, health, and sanitation.
  - A. For properties converting an existing structure into an ALU, inspections are 3 This requirement required prior to occupancy. Inspections shall include verifying the structure complies with building codes, electrical, plumbing, fire safety, and other relevant requirements.
  - B. For properties incorporating an ALU into new construction, inspections will be conducted as part of the regular building inspections prior to occupancy.
- 9. An ALU must receive a Certificate of Occupancy before it may be established and occupied as a residence. Owner must submit an Owner-Occupancy Affidavit as part of the application for occupancy, including name of property owner, address of property, a statement that owner will reside in one of the units as their primary residence, and acknowledgement of penalties for providing false information or non-compliance.

- This draft is based in part on Fairfax County's limits for "interior" ALUs, but the Town Council did not decide to take this approach.
- 2 Is the Council happy with this regulation as worded, or would you prefer adding language that the ALU must be distinct and secure from the principal residence?
- was not part of the discussion chart on 9/23/24. It is a requirement of Fairfax County.

- 10. <u>Property owners are required to submit a Residency Compliance Form to the Zoning Administrator every two years to affirm compliance.</u>
- 11. <u>Upon transferring ownership of the property, the new owner shall submit a new Owner-Occupancy Affidavit to the Zoning Administrator within 30 days of the Doning Administrator within 30 days of</u>
- acquiring the property. The affidavit must include whether the ALU will continue to be used in compliance with the conditions of the previous approval or whether it will not be used. Failure to submit the affidavit will render the ALU permit null and void. An ALU may not be used as a short-term rental unit. As such, no occupancy agreement, whether through a formal lease or an informal agreement, is permitted for a period of fewer than 30 days.
- This requirement was not part of the discussion chart on 9/23/24. It is a requirement of Fairfax City.
- 12. The Zoning Administrator or their authorized agent shall have the right to inspect any property with an approved Accessory Living Unit (ALU) as part of the biannual renewal process or as necessary to verify compliance with the ALU regulations.
- This requirement was not part of the discussion chart on 9/23/24. It is a combination of other jurisdiction requirements and staff thoughts.
- A. The Zoning Administrator or their agent shall provide the property owner with a minimum of 7 days written notice prior to any routine or bi-annual inspection.
- B. <u>In cases where the Town has reason to believe a violation is occurring, the notice period may be reduced to 48 hours.</u>
- C. The property owner shall make provisions to allow inspections of both the principal residence and the accessory unit during reasonable hours (e.g., between 8:00 AM and 5:00 PM) upon prior notice.

#### Section 18-307 Adult Business

- 1. In addition to the standards for conditional use permit contained in §18-824, the Board of Zoning Appeals shall be prohibited from issuing the said use permit if:
  - A. The location abuts a residentially zoned or residentially used property;
  - B. The use is located closer than 1,000 feet to the property of any church, school, or child care center; and
  - C. No two adult businesses may be located closer than 1,000 feet to each other.
- 2. Nothing contained herein shall be construed in any way to limit the application of any state statute relating to obscenity or relating to distribution of materials to juveniles.
- Wide-angle mirrors and/or video systems must be used to provide the manager or operator of the adult business with continuous monitoring of all areas of the establishment.

# Section 18-308 Adult Day Support Center

An adult day support center may not operate until a license has been granted by the appropriate Commonwealth of Virginia agency.

### Section 18-309 Agriculture, Enclosed

- 1. Enclosed agriculture shall not include the keeping of any animals, insects, or bees.
- 2. This use shall not result in the emission of any sounds, odors, or smoke beyond the property line in excess of what is permitted under a normal commercial use.

## **DIVISION 1. GENERAL PROVISIONS**

# Section 18-401 Purpose

The standards in this Article 4A apply generally to all new construction, additions, and alterations in any RS-10, RS-12.5, or RS-16 zone. Standards for principal structures (single-unit residential homes) relative to maximum permitted heights and required setbacks may be found in Article 2.

# Section 18-402 Frontage Improvements

- 1. The developer of any lot shall dedicate land along the lot frontage for sidewalk, curb, and gutter improvements as shown in the adopted Town Pedestrian Plan. Dedication of such improvements shall be in accordance with the standards set forth in this Chapter.
- 2. The developer of any lot that fronts an existing street shall dedicate land, construct a sidewalk, and connect such new sidewalk to the existing adjacent sidewalks, if any. Such new sidewalk shall be constructed in accordance with the standards set forth in this Chapter.
- 3. Upon application by the developer to the Town, the Town Council designates the Director of Public Works to waive, in exceptional circumstances, in consultation with the Town Attorney and Town Manager, in his or her discretion, the construction of such new sidewalk and permit the deposit of designated funds for such construction.

### DIVISION 2. ACCESSORY STRUCTURES AND AMENITIES

# Section 18-403 Accessory Structures Generally

- 1. Accessory structures are allowed only in connection with, incidental to, and on the same lot with a principal use or structure that is permitted.
- 2. Accessory structures on lots zoned for single-unit detached residential homes may include the following:
  - A. Detached garages or carports
  - B. Sheds and similar storage structures
  - C. Green houses
  - D. Gazebos and similar structures
  - E. Animal hutches or other enclosures per §18-328, §18-329, and §18-330
  - F. Other similar structures as determined acceptable by the Zoning Administrator
- 3. Accessory structures shall be located only in the rear yard.
- 4. A two-story accessory building is permitted provided that no part of it shall exceed the height of the principal building.
- 5. An accessory structure may not occupy more than thirty (30) percent of the area of a rear yard.
- 6. No accessory structure may be used for dwelling purposes.
- 7. A private automobile garage having any part of a wall in common with a dwelling is considered a part of the principal building and is not an accessory structure for purposes of this Chapter.
- 8. Accessory structures, as discussed in Division 2 of this Chapter, do not include Accessory Living Units. See Section 18-306.5 for Accessory Living Unit use standards.

Zoning and Subdivision Ordinance

### **DIVISION 5. PARKING**

# Section 18-417 Minimum Off-Street Parking Required

- 1. Parking spaces may be located on a driveway, in a garage, or in a carport.
- 2. Minimum off-street parking required:
  - A. Two (2) spaces for up to three (3) bedrooms.
  - B. Three (3) spaces for four (4) bedrooms.
  - C. Four (4) spaces for four (4) bedrooms or more.
- 3. An Accessory Living Unit (ALU) must include one parking space per sleeping quarters or bedroom within the ALU, in addition to the spaces required for the prinicpal residence.
- 3. 4. A single-unit residential parking space shall provide for an area with a minimum width of eight (8) feet and depth of sixteen (16) feet, as it relates to determining the number of off-street parking spaces provided on a driveway or in a garage.


## Section 18-418 Non-availability of Parking Area

At any time that a required parking area shall cease to be available for such use, except as a result of government action, the occupancy or use permit for the principal use to which such parking area is appurtenant shall be revoked and declared null and void, until such time as other acceptable off-street parking space is provided.

## Section 18-419 Driveways

- All driveways and parking areas shall be constructed of permanent materials, with an asphalt, concrete, or grid paver surface. Gravel or grass shall not be permitted surface treatments for driveways or parking areas. Other permeable surfaces that are permanent may be proposed, but must be approved by both the Zoning Administrator and the Director of Public Works.
- 2. Ingress and egress to a public street shall maintain a width of not less than twelve (12) feet nor more than twenty-four (24) feet at the street right-of-way line.
- 3. A width of at least twelve (12) feet shall be maintained for the length of the driveway.

FIGURE 4A.5 Driveway standards



EFFECTIVE 01 JANUARY 2024

Zoning and Subdivision Ordinance

#### Section 18-902 General Terms

Any term not herein defined shall be as defined elsewhere in the Town Code, or, if not defined elsewhere in the Town Code, as defined in Webster's New International Dictionary, most recent edition.

Abut or abutting means sharing one or more common boundaries or points; contiguous.

**Accessory building or structure** means any structure, other than a principal structure, used to facilitate an accessory use. The following are examples of accessory structures: utilities above or below ground, such as all necessary pumps, transformers, distribution structures or terminals; any generation, exchange, or treatment facility; garages; patios; barns, animal hutches; and swimming pools.

<u>Accessory Living Unit – Attached</u> means a secondary residential unit established in conjunction with, structurally part of or connected to, and clearly subordinate to a single-unit detached dwelling unit.

**Adjacent** means sharing a common boundary or separated by a right-of-way or water body.

**Adult business** means an establishment having as a substantial and significant portion of its stock or services that are distinguished or characterized by their emphasis on matter depicting, describing or relating to specified sexual activities or specified anatomical areas. For the purpose of this definition:

- 1. The term "specified sexual activities" means:
  - a. Human genitals in a state of sexual stimulation or arousal;
  - b. Acts of human masturbation, sexual intercourse or sodomy;
  - c. Fondling or other erotic touching of human genitals, pubic region, buttock or female breast; and
- 2. The term "specified anatomical areas" means:
  - a. Less than completely and opaquely covered:
    - i. Human genitals, pubic region;
    - ii. Buttock: and
    - iii. Female breast below a point immediately above the top of the areola; and
  - b. Human male genitals in a discernibly turgid state, even if completely and opaquely covered.

**Adult day support cente**r means a day care facility for adults but where neither residential nor in-patient services are provided.

**Aggregate caliper inches** means a measure of the total combined caliper inches for a group of trees.