



Scale: 3/16” = 1’

IT IS THE CLIENT’S RESPONSIBILITY TO PROVIDE A TIMER (IF DESIRED) AND A PRIMARY DEDICATED 120V/20 AMP ELECTRICAL FEED (IF NEEDED) WITHIN 3 FEET OF SIGN LOCATION BY A LICENSED ELECTRICIAN.

<div><div>STAR NEON SIGNS</div><div>Sign, Awning and Design</div><div>10101-D Bacon Drive, Beltsville, MD 20705</div><div>301-931-1548 (O)   301-931-1549 (F)</div></div>	CUSTOMER		DRAWINGS	NO.	DATE	NO.	DATE	ELECTRICAL NOTES	<div><div>UL</div><div>ALL ELECTRICAL COMPONENTS TO BE UL APPROVED</div></div>	DESIGN CRITERIA	DESIGNS AND SKETCHES ARE THE SOLE PROPERTY OF STAR NEON SIGNS AND MAY NOT BE SHARED, USED OR REPRODUCED WITHOUT PERMISSION	PERMIT	NOTE
	ORANGETHEORY FITNESS 129 MAPLE AVE WEST VIENNA, VA	1		8/27/18	4		ALL ELECTRICAL COMPONENTS SHALL BE UL LISTED AND APPROVED AS PER 1999 NEC 600-4 & FBC 450-4.4 & DESIGNATED TO UL 48 PER F.S. 553-19. ALL SIGNS ARE TO BE GROUNDED AND BONDED PER NEC 600-7 & 250-95. ALL WIRING INSIDE LETTERS ARE TO BE #12 THIN WALL HIGH TENSION GTO. ALL PRIMARY WIRING PROVIDED BY CUSTOMER IS TO BE #12 THIN WALL HIGH TENSION AS PER NEC 600-21. THESE PLANS COMPLY WITH FBC 455-21. PRIMARY ELECTRIC SOURCE TO BE PROVIDED BY CUSTOMER TO WITHIN 2 FEET OF SIGN LOCATION.	EXPOSURE "C" ASCE 7-98 2001FBC BUILT TO WITHSTAND 150 MPH		SKETCH COLORS MAY NOT REFLECT THE EXACT COLORS OF THE FINISHED PROJECT.  SIGNS SHOWN MAY NOT REFLECT ACTUAL SIZE OR PROPORTION TO THE BUILDING.			
		2			5								
		3			6								