

COUNTY OF YORK, VIRGINIA  
INVITATION FOR BIDS (IFB)

Issue Date: August 24, 2015

IFB #: 1953

Title: **Trucks: Ford F350 Chassis**  
**Ford F450 Chassis**  
**Ford F550 Chassis**

Classification Code: 07000

Issuing Agency:

County of York, Virginia  
Central Purchasing  
120 Alexander Hamilton Blvd  
P.O. Box 532  
Yorktown, Virginia 23690

Using Agency And/Or Location  
Where Work Will Be Performed:

General Services Department  
Fleet Support Services Division  
201 Operations Drive  
Yorktown, Virginia 23692

Sealed Bids Will Be Received Until **3:00PM, TUESDAY, SEPTEMBER 15, 2015**. At Which Time They Shall Be Opened In Public.

**\*\*\*\*\*TWO (2) COPIES OF BID & ATTACHMENTS ARE REQUIRED\*\*\*\*\***

All Inquiries For Information Should Be Directed To: Louise Stokes, CPPB, Senior Buyer,  
Telephone: (757) 890-3680.

---

**SEND BIDS DIRECTLY TO THE ISSUING AGENCY SHOWN ABOVE.**

---

In Compliance With This Invitation For Bids And To All The Conditions Imposed Herein, The Undersigned Offers And Agrees to Furnish The Materials Described At the Prices Indicated In Section 4.0 and Section 14.0.

Name and Address of Firm:

Date: \_\_\_\_\_

\_\_\_\_\_

By: \_\_\_\_\_

Signature in Ink

\_\_\_\_\_

Title: \_\_\_\_\_

\_\_\_\_\_

Print Name: \_\_\_\_\_

Telephone No.: \_\_\_\_\_

Federal Tax ID#: \_\_\_\_\_

Facsimile No.: \_\_\_\_\_

E-mail: \_\_\_\_\_

State Corporation Commission (SCC) # \_\_\_\_\_

**1.0 PURPOSE:**

It is the express purpose of this formal Invitation for Bid (IFB) to purchase up to fifty (50) +or- new Truck Ford F350 Chassis of various cab configurations, Ford F450 Chassis of various cab configurations, Ford F550 chassis of various cab configurations for the County of York ("Owner") Department of General Services, Division of Vehicle Maintenance, County of York, Virginia, at a time or times to be selected by Owner. "NO SUBSTITUTE".

**1.1 Renewals:** The contract shall be for a term of one (1) year, and that may be extended at the Owner's option of four (4) additional one-year periods. The decision whether to exercise the next renewal option will be made by the Purchasing Agent approximately four to six months in advance of the expiration date of the current term.

**1.2 Price Adjustments:** During the current term of the contract, price increases will be granted only at the introduction of the new model year, if justified. The Purchasing Agent makes the decision to allow or deny a request for increase based upon the documentation submitted by the Contractor. The Contractor is required to pass on any price reductions immediately. All price increases must be approved by the Purchasing Agent in accordance with Section 11.0.

**2.0 SPECIFICATIONS:**

Specifications are provided by the Fleet Support Services Division, Attn: Rob Krieger, Operations Chief, Department of General Services as described in General Specifications below (Section 4.0). Price to include F.O.B. Yorktown, Virginia. A certificate of origin must accompany the vehicle at delivery.

**2.1 DESCRIPTION:** New, never titled 2016 model, Ford F350 Ford F450, Ford F550. Vehicles of various cab configurations, wheel bases and Gross Vehicle Weight Ratings. Options and specifications as outlined under Owner's Specifications. "NO SUBSTITUTE"

**2.2 QUANTITY:** Estimated quantities: Fifty (+/- 50 +/-). The estimated quantities represent potential purchases.

**3.0 GENERAL VEHICLE SPECIFICATIONS:**

All components, unless otherwise required by these specifications, shall be the standard equipment specifically advertised and installed by the manufacturer for the model specified. The sole source of information in determining whether or not any equipment is specifically advertised for the vehicle being offered shall be the manufacturer's published literature.

**3.1 NO SUBSTITUTE:**

The term "No Substitute" means that the use of the name of a manufacture, brand, make or model specification designation is specifying an item restricts bidder to the manufacturer, brand, make or model designation identification.

#### 4.0 OWNER'S SPECIFICATIONS:

The Base trucks to include all standard features as established by the 2016 Order Guide which follows. No deletion of standard equipment allowed unless required by an option or requested by the Owner. All colors are available at no extra charge.

### Ford F-350 F450 F-550 Specifications

03/16/15	<b>2016 SUPER DUTY® CHASSIS CAB</b> <b>(F-350CC / F-450CC / F-550)</b> <b>STANDARD EQUIPMENT</b>	PROPRIETARY
The following features are standard on every 2016 SUPER DUTY® Chassis Cab vehicle:		
<b>POWERTRAIN/FUNCTIONAL</b> <ul style="list-style-type: none"> <li>• AdvanceTrac® with RSC® (Roll Stability Control™) (F-350 SRW only)</li> <li>• <u>Alternator</u> <ul style="list-style-type: none"> <li>— 157 Amp, Heavy-Duty (Std. on 6.2L Gas XL and XLT only; NA on XL/XLT 6.8L Gas or 6.7L Power Stroke® Diesel)</li> <li>— 175 Amp, Heavy-Duty (Std. on 6.8L Gas XL and XLT only; NA on XL/XLT 6.2L Gas or 6.7L Power Stroke® Diesel)</li> <li>— 200 Amp, Extra Heavy-Duty (Std. on Lariat; required on XL/XLT w/combination of 6.7L Power Stroke® Diesel and standard Upfitter Switches)</li> </ul> </li> <li>• <u>Brakes</u> <ul style="list-style-type: none"> <li>— Four-wheel Disc with Anti-Lock Brake System (ABS)</li> </ul> </li> <li>• <u>Fuel Tank</u> <ul style="list-style-type: none"> <li>— 28 gallon mid ship (F-350 SRW)</li> <li>— 40 gallon aft axle (F-350 DRW/F-450/F-550)</li> <li>— Diesel Exhaust Fluid (DEF) Tank Location: <ul style="list-style-type: none"> <li>◦ Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails.</li> <li>◦ Mid ship fuel tank is paired with the DEF tank located outside of the frame rail</li> <li>◦ Dual tanks are paired with the DEF tank located outside of the frame rail</li> </ul> </li> </ul> </li> <li>• Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine)</li> <li>• Manual Locking Hubs (4x4)</li> <li>• Oil minder system (6.2L Gas and 6.8L Gas engine)</li> <li>• Shock absorbers – heavy-duty gas</li> <li>• Springs, rear auxiliary</li> <li>• Stabilizer bar – front and rear</li> <li>• Stationary Elevated Idle Control (SEIC)</li> <li>• Steering – power</li> <li>• Steering damper</li> <li>• Trailer wiring – 7 wire harness w/relays, blunt cut and labeled</li> </ul> <b>EXTERIOR</b> <ul style="list-style-type: none"> <li>• <u>Doors</u> <ul style="list-style-type: none"> <li>— Two (Regular Cab only)</li> <li>— Four (SuperCab/Crew Cab only)</li> </ul> </li> <li>• Front License Plate Bracket</li> <li>• <u>Glass</u> <ul style="list-style-type: none"> <li>— Solar-tinted complete (Std. on XL)</li> <li>— Privacy (Std. on XLT and Lariat; NA front-seat windows)</li> </ul> </li> <li>• Lamps – Roof marker/clearance</li> </ul>	<b>EXTERIOR (continued)</b> <ul style="list-style-type: none"> <li>• "Three-Blink" lane change signal</li> <li>• Tow hooks – front, (two) (2)</li> </ul> <b>INTERIOR</b> <ul style="list-style-type: none"> <li>• <u>Convenience</u> <ul style="list-style-type: none"> <li>— Coat hooks, LH/RH color-coordinated</li> <li>— Dash top tray</li> <li>— Dome lamp – LH/RH door activated &amp; I/P switch operated w/delay</li> <li>— Handles, grab – driver &amp; front-passenger</li> <li>— Handles, roof ride – front-passenger (also over rear-doors on Crew Cab)</li> <li>— Map lights – dual (front and rear w/Crew Cab)</li> <li>— Powerpoint, auxiliary</li> </ul> </li> <li>• Door trim – color-coordinated molded w/grab handle &amp; reflector</li> <li>• Gauges and Meters – Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer</li> <li>• Headliner – color-coordinated cloth</li> <li>• Hood release</li> <li>• Horn – dual electric</li> <li>• Instrument panel – color-coordinated w/glove box, four (4) air registers w/positive shut-off, powerpoint and upfitter switches</li> <li>• Instrumentation Center – Multi-function switch message center display with Ice Blue® Lighting (three (3) button message control on steering wheel for XL and XLT; five (5) button for Lariat)</li> <li>• Scuff plates – color-coordinated</li> <li>• Windshield wipers – intermittent</li> </ul> <b>SAFETY/SECURITY</b> <ul style="list-style-type: none"> <li>• <u>Airbags</u> <ul style="list-style-type: none"> <li>— Driver and Passenger frontal and side airbag/curtain</li> <li>— Passenger side airbag deactivation switch (Regular Cab/SuperCab)</li> </ul> </li> <li>• Child tethers (Regular Cab front-passenger and all rear-seating positions)</li> <li>• <u>Safety Belts</u> <ul style="list-style-type: none"> <li>— Belt-Minder® (front safety belt reminder) – chime and flashing warning lights on I/P if belts not buckled</li> <li>— Color-coordinated safety belts w/height adjustment (front-outboard seating positions only)</li> </ul> </li> <li>• SOS Post-Crash Alert System™</li> </ul>	

## Pricing Sheet: F-350 F-450 F-550

<b>2016 SUPER DUTY® CHASSIS CAB (F-350CC/F-450CC/F-550)</b> <b>OPTIONAL EQUIPMENT</b>		
4.1	Regular Cab 4x2 – Cab to Axle 60” with 141” wheelbase. <b>F-350CC SRW XL</b>	\$
4.2	Regular Cab 4x2 – Cab to Axle 60” with 141” wheelbase. <b>F-350CC DRW XL</b>	\$
4.3	Regular Cab 4x2 – Cab to Axle 60” with 141” wheelbase. <b>F-450CC XL</b>	\$
4.4	Regular Cab 4x2 – Cab to Axle 60” with 141” wheelbase. <b>F-550 XL</b>	\$
4.5	Regular Cab 4x2 – Cab to Axle 60” with 141” wheelbase. <b>F-350CC SRW XLT</b>	\$
4.6	Regular Cab 4x2 – Cab to Axle 60” with 141” wheelbase. <b>F-350CC DRW XLT</b>	\$
4.7	Regular Cab 4x2 – Cab to Axle 60” with 141” wheelbase. <b>F-450CC XLT</b>	\$
4.8	Regular Cab 4x2 – Cab to Axle 60” with 141” wheelbase. <b>F-550 XLT</b>	\$
4.9	Regular Cab 4x2 – Cab to Axle 84” with 165” wheelbase. <b>F-350 DRW XL</b>	\$
4.10	Regular Cab 4x2 – Cab to Axle 84” with 165” wheelbase. <b>F-450CC XL</b>	\$
4.11	Regular Cab 4x2 – Cab to Axle 84” with 165” wheelbase. <b>F-550 XL</b>	\$
4.12	Regular Cab 4x2 – Cab to Axle 84” with 165” wheelbase. <b>F-350CC DRW XLT</b>	\$
4.13	Regular Cab 4x2 – Cab to Axle 84” with 165” wheelbase. <b>F-450CC XLT</b>	\$
4.14	Regular Cab 4x2 – Cab to Axle 84” with 165” wheelbase. <b>F-550 XLT</b>	\$
4.15	Regular Cab 4x2 – Cab to Axle 108” with 189” wheelbase. <b>F-450CC XL</b>	\$
4.16	Regular Cab 4x2 – Cab to Axle 108” with 189” wheelbase. <b>F-550 XL</b>	\$
4.17	Regular Cab 4x2 – Cab to Axle 108” with 189” wheelbase. <b>F-450CC XLT</b>	\$
4.18	Regular Cab 4x2 – Cab to Axle 108” with 189” wheelbase. <b>F-550 XLT</b>	\$
4.19	Regular Cab 4x2 – Cab to Axle 120” with 201” wheelbase. <b>F-450CC XL</b>	\$
4.20	Regular Cab 4x2 – Cab to Axle 120” with 201” wheelbase. <b>F-550 XL</b>	\$
4.21	Regular Cab 4x2 – Cab to Axle 120” with 201” wheelbase. <b>F-450CC XLT</b>	\$
4.22	Regular Cab 4x2 – Cab to Axle 120” with 201” wheelbase. <b>F-550 XLT</b>	\$

4.23	Regular Cab 4x4 – Cab to Axle 60” with 141” wheelbase. <b>F-350CC SRW XL</b>	\$
4.24	Regular Cab 4x4 – Cab to Axle 60” with 141” wheelbase. <b>F-350CC DRW XL</b>	\$
4.25	Regular Cab 4x4 – Cab to Axle 60” with 141” wheelbase. <b>F-450CC XL</b>	\$
4.26	Regular Cab 4x4 – Cab to Axle 60” with 141” wheelbase. <b>F-550 XL</b>	\$
4.27	Regular Cab 4x4 – Cab to Axle 60” with 141” wheelbase. <b>F-350CC SRW XLT</b>	\$
4.28	Regular Cab 4x4 – Cab to Axle 60” with 141” wheelbase. <b>F-350CC DRW XLT</b>	\$
4.29	Regular Cab 4x4 – Cab to Axle 60” with 141” wheelbase. <b>F-450CC XLT</b>	\$
4.30	Regular Cab 4x4 – Cab to Axle 60” with 141” wheelbase. <b>F-550 XLT</b>	\$
4.31	Regular Cab 4x4 – Cab to Axle 84” with 165” wheelbase. <b>F-350CC DRW XL</b>	\$
4.32	Regular Cab 4x4 – Cab to Axle 84” with 165” wheelbase. <b>F-450CC XL</b>	\$
4.33	Regular Cab 4x4 – Cab to Axle 84” with 165” wheelbase. <b>F-550 XL</b>	\$
4.34	Regular Cab 4x4 – Cab to Axle 84” with 165” wheelbase. <b>F-350CC DRW XLT</b>	\$
4.35	Regular Cab 4x4 – Cab to Axle 84” with 165” wheelbase. <b>F-450CC XLT</b>	\$
4.36	Regular Cab 4x4 – Cab to Axle 84” with 165” wheelbase. <b>F-550 XLT</b>	\$
4.37	Regular Cab 4x4 – Cab to Axle 108” with 189” wheelbase. <b>F-450CC XL</b>	\$
4.38	Regular Cab 4x4 – Cab to Axle 108” with 189” wheelbase. <b>F-550 XL</b>	\$
4.39	Regular Cab 4x4 – Cab to Axle 108” with 189” wheelbase. <b>F-450CC XLT</b>	\$
4.40	Regular Cab 4x4 – Cab to Axle 108” with 189” wheelbase. <b>F-550 XLT</b>	\$
4.41	Regular Cab 4x4 – Cab to Axle 120” with 201” wheelbase. <b>F-450CC XL</b>	\$
4.42	Regular Cab 4x4 – Cab to Axle 120” with 201” wheelbase. <b>F-550 XL</b>	\$
4.43	Regular Cab 4x4 – Cab to Axle 120” with 201” wheelbase. <b>F-450CC XLT</b>	\$
4.44	Regular Cab to Axle 120” with 201” wheelbase. <b>F-550 XLT</b>	\$
4.45	SuperCab 4x2 – Cab to Axle 60” with 162” wheelbase. <b>F-350CC SRW XL</b>	\$
4.46	SuperCab 4x2 – Cab to Axle 60” with 162” wheelbase. <b>F-350CC DRW XL</b>	\$
4.47	SuperCab 4x2 – Cab to Axle 60” with 162” wheelbase. <b>F-550 XLT</b>	\$

	wheelbase. <b>F-450CC XL</b>	
4.48	SuperCab 4x2 – Cab to Axle 60” with 162” wheelbase. <b>F-550 XL</b>	\$
4.49	SuperCab 4x2 – Cab to Axle 60” with 162” wheelbase. <b>F-350CC SRW XLT</b>	\$
4.50	SuperCab 4x2 – Cab to Axle 60” with 162” wheelbase. <b>F-350CC DRW XLT</b>	\$
4.51	SuperCab 4x2 – Cab to Axle 60” with 162” wheelbase. <b>F-450CC XLT</b>	\$
4.52	SuperCab 4x2 – Cab to Axle 60” with 162” wheelbase. <b>F-550 XLT</b>	\$
4.53	SuperCab 4x2 – Cab to Axle 84” with 186” wheelbase. <b>F-450CC XL</b>	\$
4.54	SuperCab 4x2 – Cab to Axle 84” with 186” wheelbase. <b>F-550 XL</b>	\$
4.55	SuperCab 4x2 – Cab to Axle 84” with 186” wheelbase. <b>F-450CC XLT</b>	\$
4.56	SuperCab 4x2 – Cab to Axle 84” with 186” wheelbase. <b>F-550 XLT</b>	\$
4.57	SuperCab 4x4 – Cab to Axle 60” with 162” wheelbase. <b>F-350CC SRW XL</b>	\$
4.58	SuperCab 4x4 – Cab to Axle 60” with 162” wheelbase. <b>F-350CC DRW XL</b>	\$
4.59	SuperCab 4x4 – Cab to Axle 60” with 162” wheelbase. <b>F-450CC XL</b>	\$
4.60	SuperCab 4x4 – Cab to Axle 60” with 162” wheelbase. <b>F-550 XL</b>	\$
4.61	SuperCab 4x4 – Cab to Axle 60” with 162” wheelbase. <b>F-350CC SRW XLT</b>	\$
4.62	SuperCab 4x4 – Cab to Axle 60” with 162” wheelbase. <b>F-350CC DRW XLT</b>	\$
4.63	SuperCab 4x4 – Cab to Axle 60” with 162” wheelbase. <b>F-450CC XLT</b>	\$
4.64	SuperCab 4x4 – Cab to Axle 60” with 162” wheelbase. <b>F-550 XLT</b>	\$
4.65	SuperCab 4x4 – Cab to Axle 84” with 186” wheelbase. <b>F-450CC XL</b>	\$
4.66	SuperCab 4x4 – Cab to Axle 84” with 186” wheel base. <b>F-550 XL</b>	\$
4.67	SuperCab 4x4 – Cab to Axle 84” with 186” wheel base. <b>F-450CC XLT</b>	\$
4.68	SuperCab 4x4 – Cab to Axle 84” with 186” wheel base. <b>F-550 XLT</b>	\$
4.69	Crew Cab 4x2 – Cab to Axle 60” with 176” wheelbase. <b>F-350CC SRW XL</b>	\$
4.70	Crew Cab 4x2 – Cab to Axle 60” with 176” wheelbase. <b>F-350CC DRW XL</b>	\$
4.71	Crew Cab 4x2 – Cab to Axle 60” with 176” wheelbase. <b>F-450CC XL</b>	\$

4.72	Crew Cab 4x2 – Cab to Axle 60” with 176” wheelbase. <b>F-550 CC XL</b>	\$
4.73	Crew Cab 4x2 – Cab to Axle 60” with 176” wheelbase. <b>F-350CC SRW XLT</b>	\$
4.74	Crew Cab 4x2 – Cab to Axle 60” with 176” wheelbase. <b>F-350CC DRW XLT</b>	\$
4.75	Crew Cab 4x2 – Cab to Axle 60” with 176” wheelbase. <b>F-450CC XLT</b>	\$
4.76	Crew Cab 4x2 – Cab to Axle 60” with 176” wheelbase. <b>F-550 XLT</b>	\$
4.77	Crew Cab 4x2 – Cab to Axle 84” with 200” wheelbase. <b>F-450CC XL</b>	\$
4.78	Crew Cab 4x2 – Cab to Axle 84” with 200” wheelbase. <b>F-550 XL</b>	\$
4.79	Crew Cab 4x2 – Cab to Axle 84” with 200” wheelbase. <b>F-450CC XLT</b>	\$
4.80	Crew Cab 4x2 – Cab to Axle 84” with 200” wheelbase. <b>F-550 XLT</b>	\$
4.81	Crew Cab 4x4 – Cab to Axle 60” with 176” wheelbase. <b>F-350CC SRW XL</b>	\$
4.82	Crew Cab 4x4 – Cab to Axle 60” with 176” wheelbase. <b>F-350CC DRW XL</b>	\$
4.83	Crew Cab 4x4 – Cab to Axle 60” with 176” wheelbase. <b>F-450CC XL</b>	\$
4.84	Crew Cab 4x4 – Cab to Axle 60” with 176” wheelbase. <b>F-550 XL</b>	\$
4.85	Crew Cab 4x4 – Cab to Axle 60” with 176” wheelbase. <b>F-350CC SRW XLT</b>	\$
4.86	Crew Cab 4x4 – Cab to Axle 60” with 176” wheelbase. <b>F-350CC DRW XLT</b>	\$
4.87	Crew Cab 4x4 – Cab to Axle 60” with 176” wheelbase. <b>F-450CC XLT</b>	\$
4.88	Crew Cab 4x4 – Cab to Axle 60” with 176” wheelbase. <b>F-550 XLT</b>	\$
4.89	Crew Cab 4x4 – Cab to Axle 84” with 200” wheelbase. <b>F-450CC XL</b>	\$
4.90	Crew Cab 4x4 – Cab to Axle 84” with 200” wheelbase. <b>F-550 XL</b>	\$
4.91	Crew Cab 4x4 – Cab to Axle 84” with 200” wheelbase. <b>F-450CC XLT</b>	\$
4.92	Crew Cab 4x4 – Cab to Axle 84” with 200” wheelbase. <b>F-550 XLT</b>	\$
<b>POWERTRAIN</b>		
4.93 99T	*6.7L OHV Power Stroke® Diesel V8 (B20)/TorqShift® 6-Spd SelectShift™ Automatic – O/D. <b>All XL and XLT configurations</b>	\$
<b>WHEELS</b>		
4.94 64A	17” Argent Painted Steel. <b>Fleet Option</b>	\$

	<b>F-350CC SRW XLT</b>	
4.95 64W	17" 6 Spoke Cast Aluminum w/Bright Hub Covers/Center Ornaments (4).	\$
4.96 64J	17" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4). <b>F-350CC DRW</b>	\$
4.97 64F	18" Argent Painted Steel w Painted hub Cover/Center Ornaments (4). <b>F-350CC SRW XL</b>	\$
4.98 648	*18" Cast Aluminum w/Bright Hub Covers/Center Ornaments (4). <b>F-350CC SRW XLT</b>	\$
4.99 64D	19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4). <b>F-450/550 CC XLT</b>	\$
<b>TIRES</b>		
4.100 TCH	LT275/65Rx18E BSW All-Season (4). <b>F-350CC SRW XL &amp; XLT</b>	\$
4.101 TBM	LT245/75Rx17E BSW All-Terrain (6). <b>F-350CC DRW XL &amp; XLT</b>	\$
4.102 TBL	LT245/75Rx17E OWL All-Terrain (4) (inner & spare are BSW A/T). <b>F-350CC DRW XLT</b>	\$
4.103 TDX	LT275/70Rx18E BSW All-Terrain (4), 4x4 only. <b>F-350CC SRW XL &amp; XLT</b>	\$
4.104 TDU	LT275/70Rx18E OWL All-Terrain (4), 4x4 only (opt. spare is LT275/70Rx18E BSW A/T) <b>F-350CC SRW XLT</b>	\$
4.105 THB	225/70Rx19.5G BSW Traction (incl. 4 traction tires on the rear & 2 A/S tires on the front. Opt. Spare is BSW A/S). <b>F-450/550 CC XL &amp; XLT</b>	\$
4.106 TGB	225/70Rx19.5G BSW Max Traction (4x4) (incl. 4 traction tires on the rear & 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH. Opt. spare is traction). <b>F-450/550 CC XL and XLT</b>	\$
4.107 61J	Hydraulic Jack (2-ton – F-350 SRW/4-ton – F-350 DRW/6-ton F-450 & F-550). <b>All XL and XLT configurations</b>	\$
4.108 512	Spare Tire & Wheels (Excl. carrier; Incl. Hydraulic Jack (61J)). <b>All XL and XLT configurations</b>	\$
<b>GROUPS/PACKAGES (see Dealer Product Guide for more information)</b>		
4.109 531	Trailer Tow Package. <b>All XL configurations</b>	\$
4.110 96V	*XL Value Package. <b>All XL configurations</b>	\$
4.111 17F	XL Décor Group. <b>All XL configurations</b>	\$
4.112 90L	Power Equipment Group <b>All XL</b>	\$



	<b>configurations</b>	
4.113 96I	*XLT Interior Package <b>All XLT configurations</b>	\$
4.114 96P	XL Appearance Package <b>All XL configurations</b>	\$
4.115 68L	16,000 GVWR Package (avail. On F-450 only). <b>All XL and XLT configurations</b>	\$
4.116 67H	Heavy Service Front Suspension Package. <b>All XL and XLT configurations</b>	\$
4.117 67X	Extra Heavy Suspension Package. <b>All XL and XLT configurations</b>	\$
4.118 68D	Payload Downgrade package (avail. On F-450 & F-550 only). <b>All 450 and 550 XL and XLT configurations</b>	\$
4.119 68U	Payload Upgrade Package (F-550 only w/141" WB & 6.8L engine) 19,000#. <b>F-550 XL and XLT</b>	\$
4.120 68M	Payload Plus Upgrade Package (avail. On F-550 only) 19,500#. <b>F-550 XL and XLT</b>	\$
4.121 473	Snow Plow Prep Package. <b>All XL and XLT configurations</b>	\$
4.122 535	Trailer Tow Package – High Capacity (avail. On F-450 & F-550 only). <b>All 450 and 550 XL and XLT configurations</b>	\$
4.123 86S	Low Deflection Package (Avail. On F450 & F550 only) <b>Optional on XL and XLT</b>	\$
<b>FUNCTIONAL</b>		
4.124 213	Electronic-Shift-On-the-Fly – 4x4 (auto-manual locking hubs & rotary control on I/P; NA w/6.8L engine). <b>All XL and XLT configurations</b>	\$
4.125 41H	Engine Block Heater. <b>All XL and XLT configurations</b>	\$
4.126 41P	Transfer Case Skid Plates – 4x4 (SuperCab and Crew Cab only). <b>All XL and XLT configurations</b>	\$
4.127 62R	Transmission PTO	\$
4.128 63T	Engine Idle Shutdown (avail. w/6.7L Power Stroke® diesel). <b>All XL and XLT configurations</b>	\$
4.129 98G	CNG/LPG Gaseous Engine Prep Package (Avail. on F450 and F550 w/ 6.8L engine only) <b>Optional XL and XLT configurations</b>	\$
4.130 98F	CNG/LPG Gaseous Engine Prep Package (Avail. on F350 w. 6.2L engine only) <b>Optional on XL and XLT</b>	\$
4.131.5	Limited Slip axle with choice of ratio. 4.10, 4.30, 4.88	\$
4.132	Electric Locking Axle F350 SRW only 3.73	\$

	or 4.30	
4.133 98R	Operator Commanded Regeneration (OCR) (Req. 6.7L Power Stroke Diesel engine) <b>Optional on XL and XLT</b>	\$
	<b><u>Alternators</u></b>	
4.134 67A	Dual Alternators (Req. 6.7L diesel). <b>All XL and XLT configurations</b>	\$
4.135 67D	Extra Heavy-Duty Alternator – 200 Amp <b>Optional on XL and XLT w/ 6.2L engine. Req. on XL and XLT w/ 6.7L Diesel. NA w/ 6.8L engine.</b>	\$
	<b><u>Fuel Tanks</u></b>	
4.136 65M	28.5 Gallon Mid-Ship (NA w/189" WB Regular Cabs & 200" WB Crew Cabs equipped w/gas engines; Forced on SRW w/Base Payload). <b>All XL and XLT configurations</b>	\$
4.137 65C	Dual Diesel – combines 40-gal aft-of-axle & 28.5 gal mid-ship tank (NA w/SYNC®; Req. Single CD; Reg. DRW). <b>All XL and XLT configurations</b>	\$
	<b><u>Trailer Towing Equipment</u></b>	
4.138	Manual Telescoping Trailer Tow Mirrors w/Power Heated Glass, Heated Convex Spotter Mirror & Integrated Clearance Lights/Turn Signals (incl. w/90L Power Equipment Group on XL). <b>Packaged Option on all XL configurations</b>	\$
4.139 54F	PowerScope™ Trailer Tow Mirrors (Power Telescoping, Power Folding w/Power Heated Glass, Heated Convex Spotter Mirror & Integrated Clearance Lights/Turn Signals. <b>All XL and XLT configurations</b>	\$
4.140 52B	Trailer Brake Controller (TBC verified to be compatible w/electronic actuated drum brakes only. NA w/531 Trailer Tow Pkg.). <b>All XL configurations</b>	\$
	<b><u>Steps</u></b>	
4.141 18B	6" Angular Black Molded in Color Running Board. <b>All XL and XLT configurations</b>	\$
<b>KEY EXTERIOR OPTIONS</b>		
4.142 59H	Center High-mounted Stop Lamp (CHMSL) <b>Optional on XL and XLT with GVWR over 10,000lbs. Req. w/ 68D Payload Downgrade Package for vehicles with GVWR 10,000lbs. or less</b>	\$
4.143 76D	Rear View Camera and Prep Kit (includes loose camera, wiring bundle, electrochromic mirror w/ video display) <b>Optional on XL and</b>	\$

	<b>XLT</b>	
	<b>Rear Windows</b>	
4.144 433	Manual Sliding with Privacy Glass. <b>Fleet Option on all XL configurations Regular option on XLT</b>	\$
4.145 41A	Rapid-Heat Supplemental Cab Heater (req. 6.7L diesel engine and Dual Alternators; NA w/572 air cond., delete). <b>All XL and XLT configurations</b>	\$
4.146 76S	Remote Start System (req. Power Equipment Group). <b>All XL and XLT configurations</b>	\$
	<b>Audio</b>	
4.147 585	AM/FM Stereo/Single CD/MP3 Player/Clock with 4 speakers. <b>Fleet Option on all XL configurations</b>	\$
4.148 39S	Satellite Radio. <b>All XLT configurations</b>	\$
4.149 91M	SYNC® (includes USB port; requires Steering Wheel Audio Controls, XL Value Pkg. on XL and XLT Interior Pkg on XLT). <b>All XL and XLT configurations</b>	\$
4.150 62D	Steering Wheel Audio Controls. <b>All XL and XLT configurations requires SYNC.</b>	\$
	<b>Floor Covering</b>	
4.151 16S	Floor Mats, All-Weather (NA w/Carpet Delete). <b>All XLT configurations</b>	\$
	<b>Front Seats</b>	
4.152 1S	*Cloth 40/20/40 Split Bench. <b>All XL configurations</b>	\$
4.153 LS	*Vinyl 40/Mini-Console/40 on Regular Cab only. <b>All XL configurations</b>	\$
4.154 1S	Cloth 40/20/40 Split Bench. <b>On Crew Cabs</b>	\$
4.155 2S	*Cloth 40/Mini-Console/40 on Regular Cab only. <b>All XL configurations</b>	\$
4.156 2S	Cloth 40/Mini-Console/40. <b>On Crew Cabs</b>	\$
4.157 2A/2S	*Luxury Cloth 40/Console/40 (w/6-way power driver) available on SuperCab and Crew Cab only. <b>All XLT configurations</b>	\$
<b>LPO/FLEET OPTIONS</b>		
4.158 62M	Adjustable Pedals. <b>Fleet Option on all XLT configurations</b>	\$
4.159 572	Air conditioning <b>Delete</b> (NA with Remote Start). <b>Fleet Option on all XL configurations</b>	\$
4.160 47A	Ambulance Prep Package. <b>Fleet Option on all XL and XLT configurations</b>	\$
4.161 166	Carpet <b>Delete</b> (replaced w/black floor mat, NA w/16S All-Weather Floor Mats). <b>Fleet Option on all XLT configurations</b>	\$
4.162 525	Cruise Control. <b>Fleet Option on all XL</b>	\$

	<b>configurations</b>	
4.163 942	Daytime Running Lamps. <b>Fleet Option on all XL and XLT configurations</b>	\$
4.164 556	Side Air Bags/Curtains Delete (valid with Fleet FIN code). <b>All XL configurations</b>	\$
4.165 557	Frontal Passenger and Side Air Bags/Curtains <b>Delete</b> (valid with Fleet FIN code). <b>All XL configurations</b>	\$
4.166 58Y	Radio <b>Delete</b> . <b>Fleet Option on all XL configurations</b>	\$
4.167 926	Speed Limitation – 65mph governed top speed (NA w/ 6.8L engine) <b>Optional on XL and XLT</b>	\$
4.168 927	Speed Limitation – 75mph governed top speed (NA w/ 6.8L engine) <b>Optional on XL and XLT</b>	\$
4.169 87S	LED Warning Strobes – Amber (Req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights) <b>Fleet option on XL and XLT</b>	\$
<b>FORD WORK SOLUTIONS (see dealer package for more information)</b>		
4.170 87T	Crew Chief™ (Telematics) by Telogis™. <b>All XL and XLT configurations</b>	\$
<b>CUSTOM ACCESSORIES, PRE-INSTALLED – Limited Production Offerings</b>		
4.171 76C	*Exterior Back-up Chime (late availability). <b>All XL and XLT configurations</b>	\$
4.172	<b>Charge per mile if Delivery <u>not</u> to York County Fleet Maintenance Yorktown VA.</b>	\$

4.173 Color: Exterior cab to be Oxford White. Interior trim, panels, and vinyl seat to be Gray. Other standard factory interiors and colors may be substituted at no additional charge.

4.174 Keys and Manuals: Vehicle shall be provided with four (4) sets of keys, one (1) Owner/Operators manual.

4.175 Preparation and Delivery: Vehicle to be delivered to York County, Division Maintenance Garage, 201 Operations Drive, Yorktown VA. Unit will be pre-delivery inspected, to include a current Virginia State Inspection and serviced by vendor prior to delivery. Vehicle shall be accompanied at delivery with the original Manufacturers Statement of Origin (MSO) and 30 day temporary license plates. Owner reserves the right to use manufacturer's ship through option for up-fitting purposes.

4.176 Warranty: Vehicle shall be covered by 3 year/36,000 mile bumper to bumper warranty with documentation provided at delivery for a delayed warranty start period. Drive train

warranties shall be for a minimum of 5 years and or 60,000 miles whichever occurs first. Warranty period shall commence only when vehicle is actually placed into service by the County and after chassis modifications have been completed. Warranty starting period shall be evidenced by Owner's records rather than commencing at delivery.

5.0 GENERAL TERMS AND CONDITIONS:

Applicable Policy:

This solicitation is subject to the provisions of the County of York, Virginia, Procurement Policy (Ordinance No. O12-13(R) September 18, 2012, and any revisions thereto.

5.1 MANDATORY USE OF FORM:

All responses to an Invitation for Bid (IFB) must be submitted on and in accordance with this form. If more space is required to furnish a description of the good and/or services offered or delivery terms, Bidder may attach a letter hereto which will be made a part of the bid. All bids must be submitted in a sealed envelope plainly marked with the IFB number, date and time of bid opening. Vendors wishing to submit an equivalent should provide order guides with bid pricing stated for each base model and applicable options.

5.2 OPENING DATE/TIME:

Bids and amendments thereto, or withdrawal of bids submitted, if received by Owner after the date and time specified for the scheduled bid opening, will not be considered. It will be the responsibility of Bidder to see that its bid is in the Purchasing office by the specified time and date. There will be no exceptions. Date of postmark will not be considered. Phone or telegraphic bids (including FAX) will not be accepted.

5.3 CLARIFICATION OF TERMS:

Questions about the specifications or other solicitation document should be directed to the buyer whose name appears on the face of this solicitation. Any revisions to the solicitation will be made only by addendum issued by the Owner.

5.4 TESTING/INSPECTION:

Owner reserves the right to conduct any test or inspection it may deem advisable to ensure that goods and services conform to the specifications.

5.5 INVOICES:

Invoices for goods or services ordered, delivered and accepted shall be submitted directly to the 'INVOICE TO:' address shown on the purchase order or contract. All invoices shall show the Contract number and/or purchase order number. Any payment terms requiring payment in less than thirty (30) days will be regarded as requiring payment thirty (30) days after invoice or delivery, whichever occurs last. However, this shall not affect offers or discounts for payment in less than thirty (30) days.

**5.6 DEFAULT:**

In the event of a default by Contractor, the Owner reserves the right to procure the goods and/or services from other sources, and hold the Contractor liable for any excess cost occasioned thereby. If, however, public necessity requires the use of materials or supplies not conforming to the specifications, they may be accepted and payment therefore shall be made at a proper reduction in price.

**5.7 ETHICS IN PUBLIC CONTRACTING:**

By submitting its bid, each Bidder certifies that its bid is made without collusion or fraud and that it has not offered or received any kickbacks or inducements from any other bidder, supplier, manufacturer or subcontractor in connection with its bid, and that it has not conferred on any public employee having official responsibility for this procurement any payment, loan, subscription, advance, deposit of money, services or anything of more than nominal value, present or promised unless consideration of substantially equal or greater value was exchanged.

**5.8 ANTI-DISCRIMINATION:**

By submitting its bids or proposals, Bidder certifies to the Owner that it will conform to the provisions of the Federal Civil Rights Act of 1964, as amended, as well as the Virginia Fair Employment Act of 1975, as amended, and Section 11-51 of the Virginia Public Procurement Act which provides:

In every contract over \$10,000, the provisions of a. and b. below apply:

a. During the performance of this Contract, the Contractor agrees as follows:

The Contractor will not discriminate against any employee or applicant for employment because of race, religion, color, sex or national origin, age, disability, or any other basis prohibited by state law relating to discrimination in employment, except where there is a bona fide occupational qualification reasonably necessary to the normal operation of the Contractor. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause.

Contractor, in all solicitations for advertisements for employees placed in behalf of Contractor, will state that Contractor is an equal opportunity employer.

Notices, advertisements and solicitations placed in accordance with Federal law, rule or regulation shall be deemed sufficient for the purpose of meeting the requirements of this section.

During the performance of this contract, the Contractor agrees to (i) provide a drug-free workplace for the Contractor's employees; (ii) post in conspicuous places, available to employees and applicants for employment, a statement notifying employees that the unlawful manufacture, sale, distribution, dispensation, possession, or use of a controlled substance or marijuana is

prohibited in the Contractor's workplace and specifying the actions that will be taken against employees for violations of such prohibition; (iii) state in all solicitations or advertisements for employees placed by or on behalf of the contractor that the contractor maintains a drug-free workplace; and (iv) include the provisions of the foregoing clauses in every subcontract or purchase order of over \$10,000, so that the provisions will be binding upon each subcontractor or vendor.

- b. Contractor will include the provisions of a. above in every subcontract or purchase order over \$10,000, so that the provisions will be binding upon each subcontractor or vendor.
- c. In accordance with §11-35.1 of the **Code of Virginia, et. seq.**, the Owner shall not (i) discriminate against a faith-based organization on the basis of the organization's religious character or (ii) impose conditions that (a) restrict the religious character of the faith-based organization, except as provided in subsection F of the Code, or (b) impair, diminish, or discourage the exercise of religious freedom by the recipients of such goods, services, or disbursements.

5.09 IMMIGRATION REFORM AND CONTROL ACT OF 1986:

Bidder certifies that it does not and will not during the performance of the Contract, violate the provisions of the Federal Immigration Reform and Control Act of 1986, which prohibits employment of illegal aliens.

5.10 INDEMNITY AGREEMENT:

The following shall be deemed included as a condition of any contract awarded as a consequence of this bid:

Contractor and all subcontractors shall bear all loss, expense (including reasonable attorney's fees) and damage in connection with, and shall indemnify Owner against and save Owner harmless from all claims, demands, and judgments made or recovered against Owner because of bodily injuries, including death at any time resulting therefrom, and/or because of damage to property, from any cause whatsoever, arising out of, incidental to, or in connection with the performance of the Contract whether or not due to any act of its or their employees, servants or agents and whether or not due to any act of omission or commission, including negligence, but excluding sole negligence, of Owner, its employees, servants, or agents. Compliance by Contractor with the insurance provisions hereof shall not relieve Contractor from liability under this provision.

5.11 SCC REGISTRATION REQUIRED:

If Vendor is organized as a stock or nonstock corporation, a limited liability company, a business trust, or a limited partnership, or is registered as a registered limited liability partnership, Vendor must be authorized to transact business in the Commonwealth as a domestic or foreign business entity if so required by Title 13.1 or Title 50 of the Code of Virginia, or as otherwise required by law. If Vendor allows its existence to lapse, or its certificate of authority or registration to transact business in the Commonwealth of Virginia

to expire, or be revoked or cancelled, such will be deemed an act of default enabling Owner to all remedies for default, including but not limited to revocation of this contract/agreement.

6.0 INFORMATION FOR BIDDERS:

- A. Prices should be stated in units of quantity specified, with packing and delivery to destination included; less Federal, State and local taxes.
- B. The time of proposed delivery must be stated in definite terms. If time of delivery for different commodities varies, the bidder shall so state.
- C. Bids must show unit price, amount and grand total. In case of error in the extension of prices, the unit price shall govern.
- D. Award will be made to the lowest responsible and responsive bidder. The quality of the articles to be supplied their conformity with the specifications, their suitability to the requirements of the Owner, and the delivery terms will be taken into consideration in making the award. The Owner reserves the right to make multiple awards.
- E. The Owner reserves the right to award by item, groups of items or total bid; to reject any and all bids in whole or in part, and to waive any informality or technical defects if, in its judgment, the best interests of the Owner will be served.
- F. Cash discounts may be offered by bidder for prompt payment of bills. Such discount will not be taken into consideration in determining the low bidder but will be taken into consideration in awarding tie bids. The discount period will be computed from the date delivery is accepted at destination or from date correct invoice is received by the consignee, whichever is the later date.
- G. Acceptance of a bid by the Owner is not an order to ship.
- H. Each bid is received with the understanding that the acceptance in writing by the Owner of the offer to furnish any or all of the commodities and/or services described therein, shall constitute a contract between the bidder and the Owner, which shall bind the bidder on his part to furnish and deliver the articles quoted on at the prices stated and in accordance with the conditions of said accepted bid; and the Owner on its part to order from such bidder, except for causes beyond reasonable control; and to pay for, at the agreed prices, all articles specified and delivered.
- I. Any equipment delivered must be standard new equipment latest model, except as otherwise specifically stated in bid. Where any part or nominal appurtenances of equipment is not described, it shall be understood that all the equipment and appurtenances which are usually provided in the manufacturer's stock model shall be furnished.



- J. The Contractor guarantees to save the Owner, its officers, agents and employees, harmless from liability of any nature or kind, for use of any copyrighted or uncopyrighted composition, secret process, patented or unpatented invention, articles or appliances furnished or used in the performance of the contract, or which the contractor is not the patentee, assignee or licensee. This clause shall be deemed to be incorporated into any contract awarded as a consequence of this bid.
- K. All prices and notations must be in ink or typewritten. No erasures permitted. Mistakes may be crossed out and corrections made in ink adjacent and must be initialed and dated in ink by person signing quotations.
- L. All bids must be signed with the firm name and be signed by an officer or authorized employee of the firm. In the case of a corporation, the title of the officer signing must be stated and each officer must be duly authorized. In the case of a partnership, the signature of at least one of the partners must follow the firm name using the term "member of the firm" or "general partner". In case of a limited liability company, the bid must be signed by the manager (if any) or by a member.
- M. Verify your bid before submission as they cannot be withdrawn or corrected after being opened. Unless otherwise specified herein, bidder agrees to hold the price(s) for sixty (60) calendar days from bid opening date.
- N. If you do not bid, return this sheet and state reason. Otherwise your name may be removed from our mailing list.
- O. Length of time for delivery as well as price may be considered in awarding of bid.

7.0 INSURANCE: (Revised 04/2012)

The Contractor shall carry insurance in the amount specified below, including the Contractual Liability assumed by the Contractor and shall deliver certificates of insurance from carriers

acceptable to the owner specifying such limits, along with a proper endorsement naming the "County of York, Virginia its Officers, Agents and Employees as Additional Insured, with primary status, without participation from the County's insurers" (on Form No. GL-20-10, or its equivalent) on applicable policy(s). The provisions of this paragraph shall be deemed included in the contract as if fully set out therein.

Further, the successful CONTRACTOR agrees they shall immediately notify, in writing, the Owner of any changes, modifications, and/or termination of any insurance coverages and/or policies required by the resulting contract.

Worker's Compensation and Employer's Liability Coverage A - Statutory Requirement  
Coverage B - \$100,000; \$100,000; \$500,000

Comprehensive Automobile Liability, including Owned, Non-Owned  
Hired Car Coverage.

Limits of Liability - \$500,000 Per Occurrence Bodily Injury or Property Damage.

Commercial General Liability

Limits of Liability - \$500,000 Per Occurrence Bodily Injury or Property Damage.

Contractual Liability includes the Contractual liability assumed hereunder.

Completed Operations Insurance, to remain in full effect until the date of acceptance of  
the project by the Owner.

Umbrella Liability

Excess Liability over Employers Liability, Comprehensive  
Automobile Liability and Commercial Liability policies.

Limits of Liability - \$1,000,000. Each Occurrence  
\$1,000,000. Aggregate

8.0 AVAILABILITY OF FUNDS

It is understood and agreed between the parties herein that Owner shall be bound hereunder only to the extent of the funds available and lawfully appropriated or which may hereafter become available for the purpose of this Contract.

9.0 CLAIMS:

Disputes and claims arising under this agreement shall be processed pursuant to Va. Code Section 15.2-1245 et. seq. The Owner shall give its final decision on any claim of the

Contractor within sixty (60) days of the date the claim is submitted to the Clerk of the governing Board of Owner.

10.0 AWARD:

Owner will make the award to the lowest responsive and responsible bidder. Due consideration will be given to price, previous experience, and the ability of the bidder to render required services. Owner reserves the right to conduct any test it may deem advisable and to make all evaluations. Owner also reserves the right to reject any or all bids, in whole or in part, to waive informalities and to delete items prior to making the award, whenever it is deemed in the sole opinion of the Owner to be in its best interest.

**11.0 PRICE ESCALATION/DE-ESCALATION:**

Price adjustments for changes in the Contractor's cost or transportation cost may be permitted. However, "across the board" price decreases are subject to implementation at any time and shall be immediately conveyed to the Owner.

The Contractor shall not give less than 30 days advance written notice of a price increase to the purchasing office. Any approved price change will be effective only at the beginning of the calendar month following the end of the full 30 day notification period. The contractor shall document the amount and proposed effective date of the change in price. The price change must affect all accounts serviced by the contractor. Documentation shall be supplied with contractor's request for increase which will: (1) verify that the requested price increase is general in scope and not applicable just to the Owner; and (2) verify the amount or percentage of increase which is being passed on to the contractor by others not under the control of the contractor. Failure by the contractor to supply the aforementioned verification with the request for price increase will result in delay of the effective date of such increase. The purchasing office may make such verification as deemed adequate. However, an increase which the purchasing office determines is excessive, regardless of any documentation supplied by the contractor, may be cause for cancellation of the contract by the purchasing office. The purchasing office will notify using agencies and contractor in writing of the effective date of any increase which is approved. However, the contractor shall fill all purchase orders received prior to the effective date of the price adjustment at the old contract prices. The Contractor is further advised that price decreases which affect the cost of materials, labor, and transportation are required to be passed on to the Owner immediately. Failure to do so will result in action to recoup such amounts.

**12.0 ESTIMATED QUANTITY:**

The estimated usage is expressly agreed to be an estimate only, and nothing herein shall bind the Owner to purchase any specified amount of the product. It is also further understood that the Owner shall not be obligated to purchase or pay for any product covered unless and until ordered and received by the Owner.

**13.0 JOINT AND COOPERATIVE PROCUREMENT:**

This solicitation is being conducted under the provisions of § 2.2-4304 of the Virginia Public Procurement Act (VPPA), "Cooperative Procurement", as stated, a public body may purchase from another public body's contract even if it did not participate in the Invitation for Bid (IFB), if the IFB specified that the procurement was being conducted on behalf of other public bodies.

If authorized by the Bidder(s), the resultant contract(s) may be extended to any jurisdiction within the Commonwealth of Virginia to purchase at contract prices in accordance with contract terms.

Any jurisdiction using such contracts shall place its own order(s) directly with the successful Contractor(s). The County of York acts only as the Contracting Agent and is not responsible for placement of orders, payment or discrepancies of the participating jurisdictions.

It is the Contractor's responsibility to notify the jurisdictions of the availability of contract(s).

Bidder desiring to offer to other jurisdictions under this clause shall so indicate in their response.

**14.0 PRICING SCHEDULE:**

The Bidder to provide pricing in compliance with the specifications, terms and conditions here for **TRUCKS: FORD CHASSIS F-350/F-450/F-550.**

**See Section 4.0 and Section 14.0 for Pricing– Return the required bid pages: Cover Sheet, Price Sheets Page 4 thru 12, and Page 20 ONLY.**

Delivery: \_\_\_\_\_ Days (ARO) After Receipt of Order

Literature Describing Unit is attached: \_\_\_\_\_ YES \_\_\_\_\_ NO

Literature Describing Warranty is attached: \_\_\_\_\_ YES \_\_\_\_\_ NO

Bidder agrees to provide contract prices to the jurisdictions indicated in paragraph Section 13.0: \_\_\_\_\_ YES \_\_\_\_\_ NO

**15.0 CONTRACTOR DATA:**

If you have **not** done business with the County of York, please complete the following:

Years in Business: Indicate the length of time you have been in business providing this type of service: \_\_\_\_years \_\_\_\_months.

References: Indicate below a listing of at least three (3) recent references for whom you have provided this type of service. Include the date service was furnished and the name and address of the person we have your permission to contact.

CLIENT	DATE	ADDRESS	PERSON TO CONTACT AND PHONE NUMBER
--------	------	---------	---------------------------------------

---