TOWN OF VIENNA

MEMORANDUM

TO:

Mike Gallagher, Director of Public Works

FROM:

Craig Schlemmer, Vehicle Maintenance Superintendent

CC:

Jonathan Wooden, Operations Superintendent, Operations

Superintendent; Wayne Walker, Sanitation Supervisor; Gina Gilpin,

Purchasing Agent; Katrina Pruitt, Public Works Assistant

DATE:

August 15, 2020

SUBJECT:

Replacement Sanitation Truck, Unit 75

Truck #75 is due for replacement as part of the Vehicle Replacement Program (VRP), page 6, Department of Public Works, Sanitation Division.

I recommend we purchase a Heil Sanitation Truck with optional Bayne DTL1110 Rotary Actuated Dual Cart Tipper on a Mack Chassis through Environmental Solutions Group, 2030 Hamilton Place Boulevard, Suite 200, Chattanooga, TN, 37421 utilizing Sourcewell contract #091219-THC for Solid Waste and Recycling Equipment.

The VRP estimated cost is \$272,588; the actual cost is \$258,550,



PRODUCTS, INC.

Page 1 Quote #136606 Rev #21

CUSTOMER QUOTE

22686 FISHER ROAD WATERTOWN, NY 13601 PHONE: 315-785-0994 FAX: 315-785-0146

To: TOWN OF VIENNA Quoted By: Chris Talbot Attn: Phone: 563-927-2828

Quote Date: 8/12/2020 Cell: 973-252-3833 Valid Until: 9/11/2020 Fax: 563-927-2521

Sourcewell Contract# 080818-HPI Email: ctalbot@hendersonproducts.com

Sourcewell #: 080818-HPI

Ouoted:

SOURCEWELL PACKAGE - DUPLICATE VIN # 3HAEDMMR6LL237749

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

MARKE SA Dump Body

BODY LENGTH: 10ft BODY LENGTH SIDE STYLE: STRAIGHT SIDES

SIDE HEIGHT (FROM FLOOR): 30" SIDE HEIGHT

REAR BODY PROFILE: STANDARD STRAIGHT VERTICAL GATE REAR CORNER POSTS: REAR BOLSTERS 8" ABOVE SIDES

BOARD POCKETS: 2" WIDE BOARD POCKETS

HOIST TYPE: 8/17 UNDERBODY HOIST W/ SUBFRM

HOIST CYLINDER/MODEL: UB 8/17 CYLINDER, CLASS 50, 18.6 TON LIFT CAPACITY

UB HOIST BUSHINGS: GREASABLE PINS

HYDRAULIC PUMP: NO FACTORY SUPPLIED HYDRAULIC PUMP

CYLINDER CRADLE STYLE: STANDARD HOIST CRADLE

INSTALL SUBFRAME AND/OR CYLINDER: SHIP LOOSE - DEALER TO INSTALL

EXTRA BODY PROP: NO EXTRA BODY PROP

HYDRAULIC RESERVOIR: NO RESERVOIR - DEALER TO SUPPLY

FLOOR MATERIAL: 3/16" AR400 FLOOR

FLOOR TO SIDE RADIUS: 45 DEGREE FLOOR TO SIDE

LONGSILL MATERIAL: 8" I-BEAM LONGSILLS (STANDARD SKIP WELD)

SIDES/HEADSHEET MATERIAL: 10GA GRADE 50 SIDES/HEAD

SIDE BRACING TYPE: SINGLE WELD-ON INTERMEDIATE SIDE BRACE

SIDE BRACE MATERIAL: 10GA GRADE 50 SIDE BRACING

TOP RAIL STYLE: SLOPED STYLE (reqd for Hi-Lift gate option)

CONTOURED FRONT CORNER POSTS: NO FRONT CORNER POSTS

REAR CORNER POST MATERIAL: 10GA GRADE 50 REAR CORNER POSTS

TAILGATE STYLE: STANDARD TAILGATE

TAILGATE SHEET MATERIAL: 10GA GRADE 50 TAILGATE SHEET

TAILGATE BRACING: DOUBLE HORIZONTAL TAILGATE BRACING

TAILGATE BRACE MATERIAL: 10GA GRADE 50 TAILGATE BRACING

TAILGATE TOP PIVOT HARDWARE: 1-1/4" PINS, 1" PLATES, NON-GREASABLE

TAILGATE LATCH TYPE: AIR PANCAKE TAILGATE RELEASE, SS BUSHINGS

TAILGATE RELEASE VALVE: NO TAILGATE RELEASE VALVE

TAILGATE PIN LANYARDS: NO TAILGATE PIVOT PIN LANYARDS
TAILGATE LIFT LOOP: NO TAILGATE LIFT LOOP OR DRING

LATCH JAWS: LOWER TG LATCH JAWS, NON-GREASABLE

COAL CHUTE: NO COAL CHUTE

REAR FACE LIGHT HOLES: (2) OBROUND LIGHT HOLES, EA BOLSTER REAR FACE









PRODUCTS, INC.

Page 2 Quote #136606 Rev #21

CUSTOMER QUOTE

22686 FISHER ROAD WATERTOWN, NY 13601 PHONE: 315-785-0994 FAX: 315-785-0146

REAR SIDE MARKER LIGHT HOLE: STD 2.5" SIDE MARKER LIGHT HOLES

EXTERIOR LIGHT BOXES INSTALLED: NO EXTERIOR LIGHT BOXES

LIGHTING PACKAGE: NO OEM LIGHTING PACKAGE

BODY HINGE CONSTRUCTION: STD SUBFRAME INTEGRAL HINGE

BODY HINGE TYPE: GREASELESS COMPOSITE BUSHING HINGE BLOCKS (I)

BODY HINGE PAINT: YES, REAR HINGE PAINTED @ FACTORY PAINT PREPARATION: WASH AND PRIME (MILD STEEL BODY)

CABSHIELD STYLE: STANDARD WELD ON CABSHIELD

CABSHIELD MATERIAL: 10GA W/ 7GA END PLATES (GRADE 50)

CABSHIELD SIZE: 40" X 86" CABSHEILD (FULL CAB)

CABSHIELD MOUNTED LIGHT HOLES: FOUR OVALS, (1) FACING EACH SIDE, (2) FACING

FORWARD

INSTALL CABSHIELD: HENDERSON IDC INSTALLED CABSHIELD

ASPHALT LIP: BOLT ON ASPAHLT LIP

ASPHALT LIP MATERIAL: GRADE 50 MILD STEEL

ASPHALT LIP STYLE: 12" BOLT ON, 7GA MILD WITH 1/4" ENDPLATES ASPHALT LIP INSTALLED: HENDERSON IDC INSTALLED ASPHALT LIP

WALK RAILS: NO WALKRAILS ON LOWER RUBRAILS TARP RAILS: TARP RAILS ON BOTH SIDES OF BODY

TARP RAIL MATERIAL: MILD STEEL TARP RAIL TARP RAIL TYPE: 3/4" ROUND (MILD STEEL)

SIDE LADDERS: (YES) SIDE LADDER - Pick From List Below

SIDE LADDER MATERIAL: MILD STEEL LADDER CONTRUCTION - Pick From List Below

DRIVER'S SIDE FRONT LADDER: FOLD DOWN SIDE LADDER, DS FRONT (MILD)

INSTALL DRIVER SIDE FRONT LADDER: DRIVERS SIDE FRONT LADDER HENDERSON IDC

TNSTALLED

DRIVER'S SIDE REAR LADDER: NO DRIVERS SIDE REAR LADDER

CURBSIDE FRONT LADDER: NO CURBSIDE FRONT LADDER CURBSIDE REAR LADDER: NO CURB SIDE REAR LADDER

STEP(S): NO STEP(S)

GRAB HANDLES: NO GRAB HANDLES

Show Options: No Additional Options

Option 1 Description: SIDE MARKER LIGHTS IN CABSHIELD FACING SIDES

Installation Workup

Facility: IDC-NY

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Drive-Away Service Completed Truck Delivery Method Notes: DELIVER TO VA

Chassis Make: International Chassis Model Yr: 2019 Chassis Model: HB507

Useable CA/CT: 86

Front Axle Rating: 14,000
Rear Axle Rating: 23,000
Front Frame Ext?: Yes
Frnt Frame Ext Type: Full









PRODUCTS, INC.

Page 3 Quote #136606 Rev #21

CUSTOMER QUOTE

22686 FISHER ROAD WATERTOWN, NY 13601 PHONE: 315-785-0994 FAX: 315-785-0146

Front Frame Wall: Single Wall

Front Frame Width: 34"

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Transmission Model: Allison Transmission

Hitch Type: Low Profile or Manual Tilt Type Hitch

Mount Type: Bumper to frame kit from factory, sales to order w/unit

Front Bumper: OEM Bumper Cut and Split

Front Plow Type: Standard Henderson Plow

Plow Markers (Front Plow): IDC Install of fact supplied markers, sales to order

w/ unit

Rubber Deflector Install: Supplied/Installed @ Factory, sales to order w/ unit Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Dump Body Type: Mark E Single Axle Floor Length: (10') Floor length

Hoist Type: Underbody Hoist with Subframe

Cylinder Type: Double Acting

Body Material (Sides/ends): Painted Steel Type Body Material Tailgate Release Type: IDC supplied Electric over air valve

Pressure Protection Valve: Direct to air tank valve (Int & Mack ONLY)

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit Asphalt Lip (FF Only): Supld by Fact, instll @ IDC, Bolt On (Sales order with unit)

Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)

Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)

Ladder Install Style (Dump) 1: Fold Down Side Ladder

Ladder Install Loc 1 (Dump): Driver Side Front

Sideboards: Wood (Un-Painted), supplied/installed by IDC

Sideboard Notes:

*** Need to verify with Customer ***

DUPLICATE VIN # 3HAEDMMR6LL237749

Tarp Brand: US Tarp (order 86" c/s if using integral shield)
Tarp System: Electric Tarp, Straight Arms, w/ Wind Deflector

Tarp Material: Black Vinyl (Asphalt rated)

Tarp Length: 13' Body Length or Shorter (BV, US)

Body Install Options 1: RUBBER WHEEL CHOCKS MOUNTED 2 PER SIDE ON THE SPLASH SHIELDS

Body Spec Notes:

DUPLICATE VIN # 3HAEDMMR6LL237749

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)









PRODUCTS, INC.

Page 4 Quote #136606 Rev #21

CUSTOMER QUOTE

22686 FISHER ROAD WATERTOWN, NY 13601 PHONE: 315-785-0994 FAX: 315-785-0146

Mudflaps (Front): Body Mounted Stone Shields

Mudflap Type (Front): Body Mounted, SS Stone Shields (welded to body) (no MK3/mb3)

Pintle Plate: Yes (select from options below)

Pintle Plate Configuration: 3/4" Plate, BP200 Holes, SA w/SubFrm (w/3LTC)

Pintle Plate D-Rings: Qty (2) 1" D-rings, 50 deg bend

Pintle Hook: 45 Ton

Glad Hands: Glads, Fixed, Strt, Serv & Emerg, w/Dust Covr, Drop Hoses, Pr

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)

Trailer Plug (2): 7 Pin Trailer Plug, Round

Auto Tire Chains: OnSpot Chains

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty Training: Yes, Training Required

Install Touch-up: Basic Installation Touch-Up

Electrical: Yes (SELECT RELATED OPTIONS BELOW) Power Distribution Panel: Power Distribution Panel Misc Electrical Supplies: Req'd Misc Elect Supplies Plow Lights: Plow Lts, LED, Heated, Tlite, Round, Pair

Plow Light Brackets: Plow Lt Brckts, SS, Mnt to Fact Hood Mnt Mirror, INTL, Pair

Worklight(s) QTY: (QTY 1) Work Light (Select type below) Worklight (1) Type: LED, Worklight, 4in Round (Optilux)

Worklight (1) Gen Location: Rear Spinner

Cabshield Warning Light Qty: Qty 4 Lights (Order Holes with Unit)

Cabshield Warning Lights: QTY 4, 6" LED Oval Strobes, Amber (order holes w/unit)

Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6) Rear Dump Bolster (S/T/T): LED S/T/T, kit (NY/NJ) (order holes)

OEM Light Remount: Remount OEM Chassis Lights

Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)

Front Body Marker Light(s): LED Front Body Marker Lights-(order holes w/ body) Back up alarm: Relocate chassis supplied b/u alarm (verify if incl w/ OEM)

Body up switch/light: Body UP Switch/Body Up Light (Trucklite) Brake controller: Brake Controller, Voyager Brake Controller

Backbone & Wire Standoffs: 10' Backbone (For SA)

Switchbox: Switchbox, 6 switch, illuminated (prefered)

Camera: Optimo

Camera Kit: Camera Sys, 5" LCD 1 Camera, CD

Electrical Install Opt 1: spinner light installed on the driver's side rear of body

Electrical Spec Notes:

DUPLICATE VIN # 3HAEDMMR6LL237749

Hydraulics: Full Hydraulic Package

Hyd Supplier: Certified (Select Pkg Below)

Hyd Supplier (Spec): 18336080 Controls Type: Electric Controls









PRODUCTS, INC.

Page 5 Quote #136606 Rev #21

CUSTOMER QUOTE

22686 FISHER ROAD WATERTOWN, NY 13601 PHONE: 315-785-0994 FAX: 315-785-0146

PTO Type: Included in Hydraulics Package Reservoir Type: Supplied With Hydraulics

Valve Enclosure Type: Supplied With Hydraulics Low Oil Indicator: Yes, included in Hyd Pkg Quick Coupler Upgrade: Standard Quick Couplers

Hyd Options 1: SPREADER QUICK DISCONNECTS QTY:2 HTE156.304

Hydraulics Notes:

DUPLICATE VIN # 3HAEDMMR6LL237749

IDC Paint Location: IDC-NY Body Paint Type: Wet Paint

Wet Paint (Body): 8-10' Mark E or Mark 3 Body
Wet Paint Asphalt Lip: Wet Paint Asphalt Lip (NY)
Paint Code & Color (from color charts): MATCH CAB

Reversible snow plow

Plow Length: 10' length

Moldboard Trip: Full trip with 2 external compression springs Pushframe Type: Standard Circle Frame with Top Mount Cylinders

Moldboard Height: 36" height
Moldboard Shield: Integral shield

Moldboard Sheet Material: 10 GA GR50 steel (standard)

Hydraulic Cylinders: 3" x 1 1/2" x 10" reversing nitrided cylinders

Paint: Henderson Orange

12" Rubber Deflector: Yes, w/ SS Backer

Install Rubber Deflector: Yes 36" Plastic Side Markers, Pair: Yes Parking Jack, Screw Adjustable: Yes

Install Parking Jack: Yes

Cutting Edge: Std 5/8" x 8" One Piece AASHTO punch

Hitch, Plow Portion: Pin hitch
Plow portion hitch width: 30.5"
Plow Portion Installed on Plow: Yes

Hitch, Truck Portion: See HPH or HCH for Truck portion hitch

Custom Option Fields: Note Custom Details Below

Option 1 Description: LOW PROFILE TRUCK PORTION 30.5, 3X2 CYL. # 156035

Option 2 Description: Option 3 Description: Option 4 Description: Option 5 Description: Option 6 Description:









PRODUCTS, INC.

22686 FISHER ROAD WATERTOWN, NY 13601 PHONE: 315-785-0994 FAX: 315-785-0146 **CUSTOMER QUOTE**

Page 6 Quote #136606 Rev #21

Total configured price: \$69,126.16

INCLUDES FREIGHT

Sourcewell package discount: 10%

Discounted single package price: \$63,513.00

Package(s) : 1 Total: \$63,513.00

Signed:	Date:	

Quote notes: 080818-HPI







FORM E

CONTRACT ACCEPTANCE AND AWARD



(Top portion of this form will be completed by Sourcewell if the vendor is awarded a contract. The vendor should complete the vendor authorized signatures as part of the RFP response.)

Sourcewell Contract #: 080818-HPI

Proposer's full legal name: Henderson Products Inc.

Based on Sourcewell's evaluation of your proposal, you have been awarded a contract. As an awarded vendor, you agree to provide the products and services contained in your proposal and to meet all of the terms and conditions set forth in this RFP, in any amendments to this RFP, and in any exceptions that are accepted by Sourcewell.

The effective date of the Contract will be October 29, 2018 and will expire on October 29, 2022 (no later than the later of four years from the expiration date of the currently awarded contract or four years from the date that the Sourcewell Chief Procurement Officer awards the Contract). This Contract may be extended for a fifth year at Sourcewell's discretion.

Soukkange Authorized Signatures:				
Jeremy Schwartz				
-78144D620E684E3	Jeremy Schwartz			
SOURCEWELL DIRECTOR OF OPERATIONS AND	(NAME PRINTED OR TYPED)			
PROCUREMENT/CPO SIGNATURE —DocuSigned by:				
Chad Coavette				
	Chad Coauette			
SOURCEWELL EXECUTIVE DIRECTOR/CEO SIGNATURE	(NAME PRINTED OR TYPED)			
Awarded on October 22, 2018	Sourcewell Contract # 080818-HPI			
Vendor Authorized Signatures:				
The Vendor hereby accepts this Contract award, including all accepted exceptions and amendments.				
Vendor Name HENDERSON PRODUCTS INC.				
Authorized Standard Title				
Authorized Signatory's Title DIRECTOR OF FINANCE				
Day	DAVID WESTERGAARD			
VENDOR AUTHORIZED SIGNATURE	(NAME PRINTED OR TYPED)			
Executed on DAT. A9 , 2018	Sourcewell Contract # 080818-HPI			